G

Gagnon, M., 958
Gajewski, R.J. II, 10
Galvez-Mariscal, A., 938
Ganthavorn, C., 47
Garcia, H.S., 1233
Garcia, J.M., 1527
Garleb, K.A., 423
Gates, R.A., 1108
Gavin, A. III, 831
Gayton, R., 1614
Gebruers, K., 574
Gee, M., 27
Genigeorgis, C.A., 373
George, S.M., 632
German, J.B., 811
Gerschenson, L.N., 863
Giaccaglia, D., 24
Gilbert, S.G., 510, 1714
Giles, J.E., 1125
Giovane, A., 1632
Girard, B., 1271
Giroux, H.J., 792
Godber, J.S., 1480
Goldstein, L., 50
Gonzalez-Galan, A., 1699
Gooch, J., 1108
Goodman, N., 459
Goulet, G., 1600
Graf, E., 560, 1055, 1117
Graham, H.D., 1342, 1608
Gray, J.I., 597, 616
Greaser, M.L., 607
Green, S.S., 1519
Greer, G.G., 891
Greger, J.L., 692
Grenier, P., 1635
Griffin, V.K., 1327
Griffiths, I., 1465, 1470
Grodner, R.M., 96
Grosch, W., 63
Guichard, E., 1621
Gujska, E., 431, 443, 1013
Gulli, D., 1
Gunstone, F.D., 571

H

Ha, J.K., 1197, 1241
Haggar, P.E., 1580
Hagler, W.M. Jr., 871
Hagura, Y., 1567
Hale, M., 1108
Halek, G.W., 518
Hallberg, L., 128
Halloran, J.B., 859
Halpin, E., 999
Hamada, J.S., 1725, 1731
Hamaguchi, M., 660
Hamaker, B.R., 1327
Hamburg, A., 136
Hammerton, K., 1628
Hanlin, J.H., 821
Hansen, A.P., 1421
Harbers, C.A.Z., 363, 627
Hardin, R.T., 751
Harper, J.M., 99
Harris, N.D., 14
Harris, P.V., 636, 1465, 1470
Hart, H.E., 480
Hartel, R.W., 848, 1655
Hasegawa, K., 1429
Hashimoto, K., 151, 653, 1572
Hassel, C.A., 843
Hatae, K., 653
Hawrysh, Z.J., 751, 1651
Hayakawa, K., 543, 1424, 1438, 1714
Hayashi, T., 168
Heil, J.R., 973
Helbig, N., 1537
Hemeda, H.M., 68
Hendrickx, M., 567, 574
Hentges, D.L., 436
Hernandez, E., 747, 1024, 1382
Hettiarachchy, N.S., 553, 992
Hicks, C.L., 411
Hicks, K.B., 419
Hill, C.G. Jr., 1233
Himelbloom, B.H., 291, 299, 1279
Hirooka, N., 1042
Hollingworth, T.A. Jr., 164
Holmes, B.J., 736
Homma, S., 270
Hong, C.W., 255
Hoover, D.G., 1404
Horgan, D.J., 1203
Hortin, A.E., 1505
Horvat, R.J., 262, 714
Hoshi, T., 678
Hotchkiss, J.H., 274
Hsieh, C-L., 158
Hsieh, F-H., 80
Hsieh, F., 835
Hsieh, T.C-Y., 327, 387
Hsieh, Y-T.L., 1298
Hsieh, Y.P., 13
Huang, C.J., 1308
Hudson, J.M., 462
Huffman, D.L., 861, 906
Hufnagel, L.A., 294
Hultin, H.O., 315
Hung, S.C., 1216
Hung, Y.-C., 1378
Hunt, M.C., 643
Hutton, M.T., 821
Huxsoll, C.C., 60, 416
Huynh, M.D., 335
Hwang, G-C., 653

I

Ibrahim, A., 1524
Idouraine, A., 1316
Iezzoni, A.F., 260
Igarashi, O., 270
Il., B., 510
Imai, T., 90
Ingram, J., 251
Isaacs, A.R., 1628
Ishii, R., 838
Iso, N., 954
Issanchou, S., 1621
Itoh, T., 1017

J

Jackson, L.S., 1047
Jahncke, M., 1108
Javeri, H., 739
Jawad, M.A., 594
Jelen, P., 1119
Jen, J.J., 977
Jiang, S-T., 322
Johnson, D.D., 220
Johnson, D.E., 488
Johnson, E.A., 950
Johnson, R.C., 604
Jones, H.C., 27
Jones, K.W., 604
Jones, P.N., 636, 1465, 1470
Josephson, D.B., 1576
Jung, M.Y., 807

K

Kader, A.A., 50
Kajimoto, G., 1042
Kaletunc, G., 950
Kalyankar, V., 1051
Kamal, M., 153
Kanda, K., 1399
Kandianis, T.M., 1564
Kanno, C., 678, 1219
Kantt, C.A., 276
Kapsokefalou, M., 352
Karel, M., 38, 266, 1676
Karleskind, D., 999
Kasai, H., 769
Kastner, C.L., 367
Katta, S.R., 371
Kaup, S.M., 692
Kautter, D.A., 1562
Kays, S.J., 714
Kaysner, C.A., 164
Kazeniac, S., (2)ii
Ke, D., 50
Keeton, J.T., 348, 895
Kelleher, S.D., 315
Keller, S.E., 21
Khan, K., 431, 443, 1013
Khanzada, G., 228
Kilara, A., 1448
Kim, I.H., 121
Kim, N.-K., 1378
Kim, S., 1593
Kim, S.M., 406, 926
Kim, Y.A., 1082
Kimball, R.N., 27
Kindstedt, P.S., 1115
King, A.D. Jr., 6, 459
King, C.C., 760
Kinsella, J.E., 588, 782, 920, 1224, 1338
Klein, B.P., 68
Ko, W-C., 338
Koelsch, C.M., 616
Koh, K.C., 899
Kokini, J.L., 513, 1365
Kolbe, E., 302
Kong, M-S., 665
Konno, E., 302
Konstance, R.P., 556, 1287
Koohmaraie, M., 359, 902, 1130
Kosaka, M., 660
Koskinen, M.A., 821
Kouassi, M.A., 1191
Krick, T.P., 716
Krieger, T.M., 21
Kroger, M., (1)ii
Krol, B., 1453
Kruegermann, C. 973
Krutz, G.W., 1091
Krzynowek, J., 648
Kubelka, V., 139
Kubota, K., 796
Kuchiba-Manabe, M., 1429
Kudra, T., 931
Kuhn, P.R., 789
Kulkarni, P.R., 1121
Kurth, L.B., 1203
Kuypers, R., 1203
Kwan, L., 1537

L

Labuza, T.P., 17, 560, 816, 1209, 1671
Lacroix, C., 285
Lai, S-M., 616
Lamkey, J.W., 220, 1511
Lanari, M.C., 1476
Langlois, B.E., 1136
Langlois, D., 1393
Lara-Calderon, P., 938
Larkin, J.W., 1063
Laye, I., 999
LeLoch, C., 1707
Leach, D.N., 1111
Leach, T.F., 257
Leak, F.W., 220
Ledward, D.A., (1)vii
Lee, B.H., 696, 948, 1238
Lee, C., 1664
Lee, C.M., 294, 1263
Lee, D.S., 1580
Lee, H.S., 466
Lee, J., 1580
Lee, J.E., 1446
Lee, J.H., 869
Lee, J.S., 291, 299, 1279
Lee, K., 692, 864, 1037, 1123
Lee, M.L., 188
Lee, Y.J. 871
Lemieux, L., 1097
Lepine, F., 958
Lesschaeve, L., 1393
Levin, R.E., 1147
Li-Chan, E., 1537
Liang, B., 848
Liang, K.T., 1292
Lightfoot, D., 550
Likimani, T.A., 99
Lillard, D.A., 881
Lillard, H.S., 1527
Lilly, T. Jr., 1562
Lin, C., 1651
Lindahl, L., 1685
Lindsay, R.C., 1997, 1241, 1267, 1576
Liu, C.W., 906
Liu, L-C., 564
Liu, M.N., 861, 906
Liu, X., 1008
Liuzzo, J.A., 96
Lo, J-R., 954
Lopez-Bajonero, L.J., 938
Lopez-Leiva, M.H., 1660
Lopez-Munguia, A., 938
Lorenzo, T.V., 1058
Lorient, D., 1532
Lovoi, A., 1632
Lu, Q., 835
Lucia, L.M., 1141
Luong, J.H.T., 335
Lyle, S.A., 491
Lyon, C.E., 1527

M

Ma, C.-Y., 228
Mac Rae, I.C., 1524
MacNeil, J.H., 1756
Maeda, S., 1493
Maeda, T., 796
Maerker, G., 1194
Maesmans, G., 567, 574
Maga, J.A., 99
Magnuson, J.A., 459
Mahana, W., 224
Maki, L.R., 736
Male, K.B., 335
Malmsten, T., 873
Mandigo, R.W., 1511
Maneval, J.E., 799
Mangino, M.E., 1448
Marero, L.M., 270
Marianchuk, M., 1372
Marmer, B.S., 1101
Maroulis, Z.B., 773
Marquez-Ruiz, G., 1644
Marshall, M., 743
Marshall, M.R., 154, 1030
Marth, E.H., 10, 1068
Martin, S.E., 1176
Martinez-Anaya, M.A., 1690
Mast, M.G., 1756
Matiella, J.E., 387
Matoba, T., 1429
Matringe, E., 1532
Matsudomi, N., 782
Matsumura, Y., 722
Matsuoka, K., 796
Matthews, R.F., 1608
Mattila, M., 1388
Matysiak, N.L., 823
McCarthy, M.J., 799, 811, 973
McCaskey, T.A., 906
McColgan, C., 1101
McCord, J.D., 1019
McDaniel, M.R., 1668
McDonald, L.C., 1353
McFeeters, R.F., 730
McGuire, C.F., 1323
McKay, A.M., 1749
McKeith, F., 1176
McLauchlan, R.L., 1628
McMillin, K.W., 899, 1480
McMullen, L.M., 1651
McWatters, K.H., 1302, 1311, 1744
Means, W.J., 1136
Medeiros, L.C., 736
Mellowes, W.A., 1319, 1334
Melvin, E.F., 318
Meng, J., 373
Menichillo, D.A., 1158
Mercado, C.J., 733
Merkel, R.A., 1165
Merritt, J.H., 1072
Meyer, J., 1176
Meyer-Rochow, V.B., 251
Mikel, W.B., 859
Miller, A.J., 1158
Miller, D.D., 352
Miller, M.F., 632, 1130, 1484
Miller, R.K., 341, 621, 1141
Miller, R.L., 419

Min, D.B., 807
Minerich, P.L., 1154
Mitchell, G.E., 1102, 1125, 1628
Mitsuhashi, T., 1493
Mitsumoto, M., 189, 194, 857, 1493
Mittal, G.S., 380
Mizutani, J., 72
Mochizuki, Y., 954
Mojarro-Guerra, S.H., 943
Mok, C., 553
Moldenhauer, K.A.K., 1327
Molins, R.A., 198, 1185
Mondy, N.I., 532
Monteiro Marques, J.P., 1707
Moody, M.W., 322
Moody, W.G., 1136
Moraes, M.A.C., 1699
Mori, T., 722
Morita, J-I., 855, 884
Morr, C.V., 999
Morton, I.D., 592
Moshonas, M.G., 469, 867
Mount, J.R., 682, 685
Mudahar, G.S., 977
Mukai, T., 1017
Muller, T.S., 604
Mulvaney, S.J., 80, 183, 835
Mulvihill, D.M., 1338
Murphy, P.A., 802
Murr, E., 594
Murray, A.C., 891

N

Nadeau, D.B., 146
Nagano, H., 106
Nagashima, K., 500
Nagashima, Y., 338, 954, 1572
Nagel, C.W., 47
Naidoo, R.J., 1125
Nair, B.M., 1660
Nair, P.M., 332
Nakai, S., 1271, 1537
Nakao, Y., 769
Nakhasi, S., 55
Nawar, W.W., 398
Nelsen, T.C., 494
Nelson, K.L., 504
Nerkar, D.P., 332
Newberg, S.S., 21
Ngoddy, P.O., 1302, 1311, 1744
Nielsen, P.V., 1735
Nielsen, S.S., 436, 777, 935
Nishimura, H., 72
No, H.K., 969
Noble, A.C., 823
Normand, M.D., 950
Nottingham, S.M., 1628
Noyes, C.R., (5)ii
Nuckles, R.O., 1165
Nunes, R.V., 1433, 1639
Nussinovitch, A., 756

O

O'Keefe, S.F., 802
O'Mahony, M., 1, 50, 838
O'Palka, J., 1323
Ockerman, H.W., 1508, 1514
Ogata, T., 855
Ohashi, E., 161, 1275
Ohno, S., 90, 125, 1106
Okamoto, M., 161
Okechukwu, P.E., 1302, 1311, 1744
Olivares-Vazquez, M.R., 726
Olson, D.G., 601, 1171
Omori, M., 106
Opiacha, J.O., 1756
Ordorica-Falomir, C., 726
Orite, K., 268
Osajima, Y., 500
Ott, D.B., 535
Ouali, A., 1497
Owusu-Ansah, Y.J., 1372
Ozawa, A., 161
Ozawa, S., 1493

P

Pakkonen, K., 873, 1388, 1597
Pace, J., 1292
Padua, G.W., 1557
Pai, H., 234
Palmer, S.J., 535
Palombo, R., 1453
Pan, B.S., 665
Pandian, S., 948, 1229
Pandya, R.N., 84
Panter, S.S., 1055
Papa, C.M., 1527
Papadopoulos, L.S., 341, 248, 621, 1141
Paraf, A., 224
Paredes-Lopez, O., 726
Parish, M.E., 480
Park, Y.W., 1191
Parkhurst, A.M., 188
Parkinson, K.S., 27
Parrish, F.C. Jr., 601
Patel, P.N., 831
Patochka, G., 1119
Pattee, H.E., 579
Payne, C.A., 1126
Payne, F.A., 411
Payne, J.A., 262, 985, 989
Payumo, E.M., 270
Pedersen, L.D., 27
Peeler, J.T., 391, 1562
Pegg, R.B., 1205, 1450, 1500, (1)v
Peleg, M., 756, (1)vii, (2)iv
Peleg, M.A., 950
Pena-Vera, M.T., 309
Penfield, M.P., 394
Penner, M.H., 1593
Pensabene, J.W., 1108
Peplow, A., 743,
Peplow, A.J., 1030
Perez-Camino, M.C., 1644
Perkins, C.J., 1514
Pesis, E., 469
Pflug, I.J., 1408
Phillips, L.G., 588
Pilosof, A.M.R., 24, 113, 116, 253
Pintauro, N., 1365
Plimpton, R.F. Jr., 1514
Plit, L., 1597
Pomilio, A.B., 44
Pommier, S.A., 1455
Ponnampalam, R., 1618
Potluri, P.L., 582
Pourcin, J., 1635
Powers, J.R., 47, 719
Price, J.F., 172, 318
Prin, A., 1453
Prusa, K.J., 216
Puchades, R., 1097

Q

Quagliuelo, L., 1632

R

Raghavan, G.S.V., 550, 931
Rahman, M.S., 582
Ramaswamy, H., 550
Ramaswamy, H.S., 931
Rand, A.G., 1095
Rao, D.R., 371
Rao, M.A., 1302, 1311, 1744
Ravesi, E.M., 648
Ray, B., 916
Reagan, J.O., 632, 1130, 1484
Real, M.P.N., 733
Rebeca, B.D., 309
Rector, D., 782, 1338
Reddy, G.V.S., 965
Reddy, I.M., 1161
Reed, A.W., 1102
Regenstein, J.M., 1298
Reim, R.E., 1087
Reitmeier, C.A., 216
Reppond, K.D., 1564
Resurreccion, A.P., 802
Reykdal, O., 864
Rhim, J.W., 1433
Rhodehamel, E.J., 1562
Richardson, J.C., 590
Richardson, S.J., 1557
Richter, R.L., 764
Rico-Pena, D.C., 497
Ringer, L.J., 621
Rodriguez, M., 475
Roe, M.A., 1711
Rogers, R.W., 859
Rogers, S.A., 1102, 1125
Rolle, R.S., 154
Romans, J.R., 604
Romijn, A., 188
Roos, Y., 238, 266, 1676
Rotstein, E., 1718
Roukas, T., 878
Roy, I., 756
Rubin, L.J., (1)vi
Rubiolo, A.C., 1548
Ruiz-Mendez, M.V., 1548
Rule, D.C., 916
Russell, W.C., 736
Rust, R.E., 601
Rustom, I.Y.S., 1660
Rutledge, D.N., 1707

S

Sadler, G.D., 35, 475, 1027
Saguy, I.S., 1117
Saito, M., 168
Sakai, N., 1438
Salih, A.M., 172
Samejima, K., 884
Sams, A.R., 247
Sandberg, A.S., 1330
Sanderson, J.E., 1123
Sandine, W.E., 1729
Sandros, T.M., 1741
Sanson, D.R., 80
Santerre, C.R., 257, 260
Sapers, G.M., 419
Sapp, R.E., 1412
Saravacos, G.D., 773
Schadel, W.E., 76
Schaefer, D.M., 194, 857, 1489
Schafer, H.W., 427
Scheller, K.K., 194, 857, 1489
Schiraldi, A., 1702
Schlimme, D.V., 55, 484, 1292
Schmidt, G.R., 175
Schooner, F., 1229
Schwartz, S.J., 710, 1059, 1639
Scott, H.V.N., 1741
Seaman, S.W., 913
Sebranek, J.G., 1171
Seetharaman, K., 532
Sefton, T.L, 1514
Seib, P., 1529
Seman, D.L., 356
Sen, N.P., 913
Senter, S.D., 262, 985, 989
Serafin, F.L., 84
Servillo, L., 1632
Sgarbieri, V.C., 1699
Shackelford, S.D., 1130
Shah, B.B., 777
Shah, D.B., 391
Shah, K.K., 773
Shahidi, F., 1205, 1295, 1450, 1500, (1)v
Shamsuzzaman, K., 1450
Shao, K.R., 1480
Shaw, P.E., 469, 867
Shazer, W.H., 21, 689
Sheen, S., 543
Shelef, L.A., 1251
Shellhammer, T.H., 402
Shen, C.F., 109
Sheu, S.C., 448
Shi, Y., 848
Shih, F.F., 452
Shimizu, Y., 1275
Shimoda, M., 500
Shin, S., 827
Shirahuji, K., 678
Shoji, Z., 106
Shoun, L.H., 1051
Shyu, S.-L., 1375
Silverman, G.J., 1147
Simard, R.E., 249, 696, 948, 1097, 1229, 1238, 1586
Sims, C.A., 475
Singh, H., 238, 671
Singh, R.K., 777, 869, 935, 1446
Singh, R.P., 402, 611
Singhai, R.S., 1121
Singleton, J.A., 579
Skanberg, A-B., 128
Skibsted, L.H., 1182
Skonierzny, S., (1)vi
Smaldone, D., 1702
Smith, D.M., 616, 1165
Smith, G.L., 348, 895
Smith, J.L., 1101
Smith, S.B., 895
Smittle, D., 981
Sofos, J.N., 99, 174
Solms, J., 943
Solomon, H.M., 1562
Solomos, T., 55
Soriano, M.D., 1690
Splittstoesser, D.F., 876
Sporns, P., 1034
Srikar, L.N., 965
St. Angelo, A.J., 359
Stalder, J.W., 348, 895
Steinberg, M.P., 1557
Sterling, R., 1034
Stoick, S.M., 597
Stone, M.B., 488
Storebakken, T., 969
Strange, E.D., 556, 1[illegible]5
Stroshine, R.L., 1091
Stuiber, D.A., 1267, 1576
Stutz, H.K., 1147
Styles, M.F., 1404
Su, Y., 881
Sullivan, J.J., 164
Sumner, S.S., 1741
Sun Pan, B., 255
Sun, N., 1604
Sunki, G.R., 371
Suzuki, K., 796
Svanberg, U., 1330
Swartzel, K.R., 1076, 1433
Swyngedau, S., 756
Sych, J., 285
Synowiecki, J., 1295

T

Tadera, K., 268
Taguchi, T., 338, 769, 954
Tajima, M., 168
Takano, E., 1219
Takao, Y., 1275
Tan, L.T., 1125
Tanaka, M., 338, 954, 1572
Tanaka, T., 72
Tanaka, Y., 500
Tanchotikul, U., 327, 1480
Taoukis, P.S., 1209
Tatsumi, Y., 1357
Tawada, T., 769
Tempesta, M.S., 80
Terasaki, M., 769
Thibault, C., 958
Thompson, M.P., 1415
Thomson, A.B.R., 751
Throm, H.R., 164
Timbers, G., 550
Toba, T., 1017
Tobback, P., 567, 574
Tochikubo, K., 1399
Toda, J., 769
Todorki, S., 168
Tokarska, B., 1651
Tokuno, T., 660
Toledo, R.T., 255, 739
Tompkins, F.D., 1008
Torkelson, J.D. Jr., 164
Torley, P.J., 251
Toro-Vazquez, J.F., 1648
Torok, T., 6, 459
Torres, J.A., 276, 462, 497
Trachy, G., 1586
Trepanier, G., 696, 948, 1238

Trout, G.R., 1457, 1461
Tsai, C-H., 665
Tsai, C.-L., 1375
Tsen, H-Y., 31, 1519
Tsoubeli, M.N., 1671
Tuley, W.B., 220

U

Unda, J.R., 198
Usborne, W.R., 380
Ushio, H., 653
Ustunol, Z., 411
Uzogara, S.G., 592

V

Valentas, K.J., 1718
Van de Voort, F.R., 550, 931, 1552
Van Kekken, D., 1415
Van Roon, P.S., 1452
Vanderzant, C., 341, 1141
Varshney, G.C., 224
Velazquez-Areilano, A., 938
Velisek, J., 136, 139
Venien, A., 224
Venugopal, V., 332
Veriaque, P., 1635
Vidal-Valverde, C., 1350
Viden, I., 139
Vie, A., 1
Villota, R., 1002
Vilmazer, G., 513
Von Elbe, J.H., 1655

W

Wagner, J.R., 281
Walker, H.W., 198
Walker, K.D., 164
Wang, C., 1251
Wang, C-H., 701
Wang, C.R., 455
Wang, D.Q., 302
Wang, J., 1424, 1714
Wang, S-J., 1519
Wang, S.H., 1699
Wang, S.S., 121
Wasson, D.H., 1564
Watabe, S., 151, 653
Watada, A.E., 1357, 1589
Watanabe, H., 1567
Watanabe, N., 1017
Weaver, C.M., 436
Weber, C.W., 1316
Wei, C.I., 154, 743, 1030
Wekell, J.C., 132
Wekell, M.M., 164
Weng, Y-M., 274
Weng, Z., 567, 574
Wergin, W.P., 1357
West, R.L., 220
Wheeler, T.L., 1130
Whipple, G., 1130
Wicker, L., 466, 480, 739, 1369
Wijaya, C.H., 72
Wikstom Jansson, K., 1685
Wild, J.L., 1171
Wiley, R.C., 484
Willemot, C., 1586
Williams, D.J., 1628
Wilson, L.A., 802
Winkler, M., 811
Wiseman, J.J., 1668
Wolfe, R.R., 1424
Wolff, E., 1707
Woo, G-J., 1019
Wu, J., 719
Wu, J.Q., 710
Wu, W.H., 916
Wyllie, S.G., 1111

X

Xiong, Y.L., 210, 920

Y

Yam, K.L., 1580
Yamamoto, K., 884
Yang, B.B., 1076
Yang, S.T., 588
Yasuda, Y., 1599
Yasui, T., 884
Yen, G-C., 158
Yensen, S.B., 1316
Yiu, S.H., 228
Ylimaki, G., 751
Yoon, K.S., 294
Yoshida, H., 1042
Young, C.T., 76
Young, L.L., 1484, 1527
Young, O.A., 251
Yousef, A.E., 10, 1068
Youssef, M.M., 1347
Yu, G-K., 31
Yue, P., 992

Z

Zaman, S., 1718
Zanoni, B., 1702
Zavoral, J.H., 841
Zayas, J.F., 406, 455, 926, 1216, 1308
Zechman, L.G., 1408
Zeece, M.G., 188
Zhang, Q., 719
Zhang, W.B., 716
Zhao, B., 121
Zheng, B-A., 722
Zheng, X.G., 121
Ziena, H.M., 1347
Zorrilla, S.E., 1548
Zottola, E.A., 427
Zubillaga, M.P., 1194

Subject Index—Volume 56, 1991

A

abrasion
bisulfite alternatives in processing-peeled potatoes, 257; control of carrot surface discoloration caused by peeling by, 416

absorbent
ethylene to maintain quality of processed fruits and vegetables, 1589

absorption
of citrus flavor volatiles by low density polyethylene, 35
plasma cholesterol oxidation products (oxysterols) in human subjects fed a meal rich in oxysterols, 843
relationship of food proteins to emulsifying properties, 253
salt: variability by brine dipped fillets of cod, flounder and perch, 648

acceptability
DDGS: particle size effects on baked potatoes, 1323
of breadfruit chips, 1608

acesulfame K
comparison of temporal perception of fruitiness in model systems sweetened with aspartame, aspartame blend, or sucrose, 823

acetaldehyde
storage of oranges pretreated with in air, 469

acid
adipic: storage of beef produced with gel, 604
amino: 3-chloro-1,2-propanediol derived in protein hydrolysates, 139; color development in model system during frying: role of, 1711; of faba beans: effects of cooking temperature and time, 1347; water activity and temperature effects on browning of in squid, 665
ascorbic: destructive effect of aspartame on in Cu-catalyzed solutions, 14; in vegetables and fruits, 427; pigment stability improvement in beef by application of, 857; retention in orange juice stored under simulated consumer home conditions, 867; uptake and fate in infiltrated fruit and vegetable tissue, 419
carboxylic: of NTHZ in frankfurters containing pollock, 1108
citric: production from beet molasses by A niger, 878
composition of persimmons during maturation, 989
cyclopiazonic: production by A flavus in maize, 871
emulsified milkfat effects on rheology of -induced milk gels, 920
extrusion texturization of soy proteins, 1002
fatty: colorimetric assay for butter using flow-injection and immobilized enzymes, 1229; effect of gamma irradiation of whole chicken on, 371; influence of feeding regimen on content of beef, 1102; nutritional evaluation of lipids in fish from temperate Australian waters, 1111; relationship to rancid flavor of milk, 394; volatile branched-chain in aged Italian cheese flavors, 1241
film: water activity and pH effects, 497
heat processing of high- and low-foods in semirigid containers, 1714
2-(hydroxymethyl)-N-nitrosothiazolidine-4-carboxylic (HMNTCA): in smoked meats and bacon and conversion to 2-(hydroxymethyl)-N-nitrosothiazolidine during high-heat cooking, 913
lactic: bacteria relation to maturation of cheddar cheese, 1238
organic: determination in cheddar cheese by HPLC, 276
palmitic: sorbic acid and potassium sorbate permeability of edible film: water activity and pH effects, 497
phytic: as food antioxidant, 560
production in soy-based yogurt by adding cheese whey proteins and mineral salts, 999
requirement for pH modification of processed foods, 973
sorbic: determination in raw beef, 863; permeability of edible methylcellulose-palmitic
uric: electrochemical quantitative analysis in milk, 594

acid degree value (ADV)
relationship to rancid flavor of milk, 394

acidification
effects on microbial populations during initiation of cucumber fermentation, 1353

actomyosin
effect of pressure treatment on ATPases from flying fish and sardine muscles, 338

additive
gel-forming characteristics and rheological properties of kefiran, 1017

additives
color of pasta influenced by, 488

adenine
nucleotide degradation in chill-stored fresh fish, 1267

adsorption
interactions among oil component during: effects on carotenoids and peroxides, 1648
of methyl orange on starches, 90

aflatoxin
chemical detoxification of copra containing, 733; production by A flavus in maize, 871

agar
for lactococcus, 1729

aggregation
of milk protein complexes in heated reconstituted skim milk, 238

aging
effect on palatability attributes of beef from three quality grades, 601
effect on sensory, chemical and physical properties of beef, 1125
predictors of beef tenderness, 1130

agriculture
storage potential of tomatoes harvested at breaker stage using modified atmosphere packaging, 55

air
effect on convection heating product processed in steritort, 27
internal pressure profile in semi-rigid packages during thermal processing in, 831
methods for determining content in meat batters, 1453
storage of oranges pretreated with N, CO2 and acetaldehyde in, 469

albacore
postmortem changes in chilled round, bled and dressed, 318

albumen
factors contributing to antilisterial effects of raw egg, 1251
rheology of heat-induced gels from egg subjected to freeze-thaw, 764

albumin
properties of tepary bean compared with soy protein isolate, 1316

alcohol
amino: 3-chloro-1,2-propanediol derived in protein hydrolysates, 136
changes during storage of orange juice beverage, 475
filter, fourier transform infrared, and areometry for following fermentation in wine, 1635

algin
storage of beef produced with gel, 604

alginate
DSC studies of meat protein mixtures, 175
effect of propylene glycol on stability of O/W emulsions, 513
immobilizaton effects on Schiz. pombe activity and stability, 1095

alkali
extrusion texturization of soy proteins, 1002

alkylphenol
in species-related characterizing flavors of red meats, 1197

altitude verification of USDA home-canning recommendations for processing tomatoes at high, 736

Amaranthus paniculatas (Rajgeera)
puffing effects on functional properties of seed flour, 1121

amines
analysis in canned fish by HPLC, 158

ammonium hydroxide
detoxification of aflatoxin-containing copra, 733

amylase
alpha: extrusion cooking of corn/soy mix in presence of, 99
maltotetraose production using P stutzeri in membrane recycle bioreactor, 1019
rheological changes in oatmeal suspensions during heat treatment, 1685

analysis
amino acid composition and antinutritional factors of faba beans: effects of cooking temperature and time, 1347
anthocyanin pigments in skin of lychee fruit, 466
breadfruit chips: preparation, stability and acceptability, 1608
calcium: and time postmortem effects on functional and textural characteristics of pork, 632; sulfate concentration influence on yield and quality of tofu from soybean varieties, 1604
changes during storage of an alcoholic orange juice beverage, 475
changes in components in development of hard-to-cook bean defect, 436
changes in gelling behavior of whey protein isolate and lactoglobulin during storage, 782
changes in size and composition of protein aggregates on heating skim milk, 671
changes in titin and nebulin in bovine muscle revealed by gel electrophoresis, Western blotting and immunofluorescence microscopy, 607
characteristics of wheat flour dough using E cloacae with and without yeast, 106
characterization of irradiated peanut kernels stored under ambient and frozen conditions, 1375
characterization of squid using freshness indicators, 161
chemical, physical and sensory stabilities of sweet potatoes, 710
chickpea protein isolates: physicochemical, functional and nutritional characterization, 726
cholesterol oxidation products in raw meat and chicken, 1194
color and oxidative stability of nitrite-free cured meat after irradiation, 1450
color stability of trout fillets during frozen storage, 969
comparison of sampling techniques for microbes on meat surfaces, 249
composition, cooking loss, color and compression of ground pork with dry and wet-milled corn germ meals, 216
computer simulation of starch-water interactions during phase transition, 121
computerized model for strain-stress of food undergoing heat and mass transfer, 1438
cooking quality of brown rice as influenced by irradiation, variety and storage, 96
curdlan: properties and application to foods, 769
DDG with solubles: particle size effects on volume and acceptability of baked potatoes, 1323
determination of iron binding phenolic groups in foods, 128
determination of optimal level of lactitol for surimi, 285
diffuse reflectance profiles of milk-clotting enzyme preparations, 411
effect of Na lactate on microbial and chemical composition of cooked beef during storage, 341
effect of added lactobacilli on composition and texture of cheddar cheese during maturation, 696
effect of constituent concentration on rheological properties of corn oil-in-water emulsion, 796
effect of fermentation of yams on characteristics of processed flour, 272
effect of ferrous iron, salt, cooking and shredded Coffi on TBA numbers in ground beef, 172
effect of heat processing on quality of oysters, 1292
effect of ionizing radiation on sterility and functional qualities of dehydrated blood plasma, 168
effect of irradiation and storage on flavor of garlic bulbs, 44
effect of packaging on color and physical characteristics of ground pork in frozen storage, 363
effect of packaging on physical and sensory characteristics of pork in frozen storage, 627
effect of preparation procedures and storage parameters on quality retention of salad-cut lettuce, 60
effect of ultrasound treatment on properties of chymosin, 926
effect of washing on texture and microstructure of frozen fish mince, 294
emulsifying salts influence on characteristics of cheese analogs from calcium caseinate, 1542
evaluation of odorants in dill seed and herb by aroma extract dilution, 63
evaluation of partially defatted chopped beef in fermented beef snack sausage, 348
extrudates from starch fractions of navy and pinto beans and corn meal blended with legume high protein fractions, 431
factors affecting catalysis of lipid oxidation by ferritin-containing extract of beef muscle, 356
factors affecting quality of fish oil mayonnaise, 1298
fat content effects on yield, quality and microbiological characteristics of chicken patties, 1527
feed moisture effects on functional properties, trypsin inhibitor and hemagglutinating activities of extruded bean high starch fractions, 443
fractionation of water-soluble and insoluble components from egg yolk with minimum use of organic solvents, 1537
functional and sensory properties of salad dressing containing fermented peanut milk, 1664
galacturonate in pectic substances from fruits and vegetables: comparison of anion exchange HPLC with amperometric detection to standard colorimetric procedure, 423
gel-forming characteristics and rheological properties of kefiran, 1017
heat processing of high- and low-acid foods in semirigid containers, 1714
hexanal formation via lipid oxidation as function of O2 concentration: measurement and kinetics, 816
influence of drying methods on volatile sulfur constituents of caucas, 72
influence of polyphosphate soak and cooking on yield and quality of crab, 657
ionic strength and pH effects on composition and microstructure of yolk granules, 1532
iron in food: effect of continued use of iron cookware, 584
irradiation influence on yield and quality of fruit juice, 1628
isolation and characterization of antioxidant from shrimp, 143
isolation and structure of vitamin B6 conjugate in rice bran, 268
isolation of low-MW taste peptides from cheese, 943
isopropyl N-(chlorophenyl) carbamate (CPIC) effect on nitrogenous constituents of potatoes, 532
juice extraction process and apple cultivar influence on juice properties, 1614
'-lactose monohydrate from ultrafiltered whey permeate in one-step crystallization using EtOH-water mixtures, 777
legume processing effects on dietary fiber components, 1350
lipid and pigment extraction from mechanically separated seal meat, 1295
lipid changes during frying of frozen prefried foods, 1644
lithium chloride as preferred extractant of fish muscle proteins, 315
low-fat, high added-water bologna formulated with texture-modifying ingredients, 643
mechanical properties and chemical composition of peanuts affected by harvest date and maturity, 1378
method for TMAO using ferrous sulfate and EDTA, 132
microwave digestion of food for Na by atomic absorption spectrometry, 1412
microwave heating effects on stabilities of tocopherols in oils, 1042
moisture, fat and cholesterol in goat meat, 1191
monitoring chemical and microbial changes of cottage cheese using a full-history time-temperature indicator, 402
multiple standards to define sensory characteristics for: aspects of concept formation, 838
NIR spectroscopy determination of physical and chemical characteristics in beef cuts, 1493
noninvasive measurement of lipid and water in food using MRI, 811
nonstarch polysaccharide fractions of carrots, 1593

objective/subjective assessment of sausage, 636
of biogenic amines in canned fish by HPLC, 158
of cookies based on wheat-rice-soybean flours baked in microwave oven, 1699
of imitation crab, 164
of milk-sweet potato mixtures fermented with yogurt bacteria, 682
of nitrate in meats: comparison of methods, 1123
of shear and thermal history during co-rotating twin-screw extrusion, 518
of uric acid in milk, 594
of volatile flavor components in steamed rangia clam by dynamic headspace sampling and simultaneous distillation and extraction, 327
osmotic concentration of green beans prior to freezing, 1008
parametrics for freezing of spheroidal or finitely cylindrical objects with volumetric changes, 543
peanut moisture/size, relation to freeze damage and effect of drying temperature on volatiles, 579
pectin concentration, molecular weight and degree of esterification: influence on volatile composition and sensory characteristics of strawberry jam, 1621
phenoloxidase activity from Florida spiny and Western Australian lobster, 154
physical properties of air-dried and freeze-dried chicken, 611
physicochemical properties of milk fat emulsions stabilized with milk fat globule membrane, 1219
phytate hydrolysis by phytase in cereals: effects on estimation of iron availability, 1330
plasticizing effect of water on thermal behavior and crystallization of amorphous food models, 38
pork use in fermented meat spreads, 1185
postmortem changes in chilled round, bled and dressed albacore, 318
prediction of emulsion instability from emulsion composition and physicochemical properties of proteins, 116
preprocessing ice storage effects on functional properties of fish mince protein, 965
processing, packaging, and storage effects on quality of freeze-dried strawberries, 1388
production and evaluation of milk-sweet potato mixtures fermented with yogurt bacteria, 685
production of fish protein hydrolysates with bacterial proteases: yield and nutritional value, 309
properties of heat-induced gels from beef skeletal, heart, lung and spleen protein fractions, 1165
properties of wild rice/ground beef mixtures, 1154
protein and fiber supplementation effects on extruded cornmeal snack quality, 760
protein extractability and thermally induced gelation properties of myofibrils isolated from pre- and postrigor chicken muscles, 210
puffing effects on functional properties of Amaranthus paniculatas seed flour, 1121
purification and characterization of proteases from digestive tract of grass shrimp, 322
qualitative and quantitative determination of caseins with HPLC, 1415
quality characteristics of chymosin extracts obtained by ultrasound treatment, 406
quality enhancement of chum salmon in retort pouches, 1282
quality evaluation of fish meat by NMR, 660
quantification of 5'-cholestane-3,5,6-triol and other cholesterol oxidation products in fast food french fried potatoes, 716
rancid flavor of milk: relationship of acid degree value, free fatty acids, and sensory perception, 394
relationship of solubility of whey protein concentrates to thermal properties determined by DSC, 1448
retrogradation of rice starches studied by DSC and influence of sugars, NaCl and lipids, 564
rheological and structural properties of wiener-type products substituted with vital wheat gluten, 228
rigor condition, tumbling and salt level influence on physical, chemical and quality characteristics of cured, boneless ham, 1514
role of milk fat globule membrane in autoxidation of milk fat, 398
RSM in development of rice flour yeast breads: sensory evaluation, 751
SDS and sulfite improve properties of soy protein concentrates, 113
selection criteria of meat emulsion fillers based on properties and cooking kinetics, 380
sensory detection and population thresholds for STP in cooked ground turkey patties, 206
sensory, instrumental texture profile and cooking properties of beef made with binders, 1457
sodium caseinate from skim milk powder by extrusion processing: physicochemical and functional properties, 1552
sodium lactate effect on sensory characteristics, cooked beef color and chemical composition, 621
sodium lactate effects on shelf-life, sensory, and physical characteristics of pork sausage, 1176
solubility and viscous properties of casein and caseinates, 556
sorbic acid and potassium sorbate permeability of edible methylcellulose-palmitic acid film: water activity and pH effects, 497
storage of oranges pretreated with N, CO2 and acetaldehyde in air, 469
sugar and nonvolatile acid composition of persimmons during maturation, 989
sulfhydryl and ascorbic acid relationships in vegetables and fruits, 427
sulfite in cellulosics by ion exclusion chromatography with electrochemical detection, 1087
supercritical CO2 effects on quality of orange juice, 1030
supercritical CO2 extraction of annatto pigments and characteristics of color extracts, 80
tenderizing, aging and thawing effects on sensory, chemical, and physical properties of beef, 1125
tepary bean flour, albumin and globulin fractions: functional properties compared with soy protein isolate, 1316
textural quality of meat patties: correlation of instrumental and sensory attributes, 1465
texture and microstructure of cassava flour extrudate, 1319
texture of raw and canned jicama and chinese water chestnut, 977
thermal properties of surimi by DSC, 302
thiamin, riboflavin and niacin retention in cooked cowpeas as affected by kanwa treatment, 592
uptake and fate of ascorbic acid-2-phosphate in infiltrated fruit and vegetable tissue, 419
volatiles: alkylphenols and thiophenol in species-related characterizing flavors of red meat, 1197; branched-chain fatty acids and phenolic compounds in aged Italian cheese flavors, 1241; from mesocarp of persimmons, 262; in scrambled eggs, 387; in strawberry jam: influence of cooking on volatiles, 1393; and sugars of cultivars of sweet potatoes, 714
water retention and solubility of soy proteins and corn germ proteins in model system, 455
yield and quality of tofu affected by soybean and soymilk characteristics: glucono-delta-lactone coagulant, 109

animal assay
characterization of increase in paleness of milk-fed veal during refrigerated storage, 1455
moisture, fat and cholesterol in goat meat, 1191
nutritional evaluation with animal model of cottage cheese fortified with calcium and guar gum, 692
processing characteristics of pork as influenced by porcine somatotropin administration to growing finishing swine, 859

animal science
influence of feeding regimen on sensory quality and fatty acid content of beef, 1102

anions
effect on deamidation of soy protein, 452

annatto (Bixa orellana)
extraction of seed pigment by supercritical carbon dioxide, 1655
supercritical carbon dioxide extraction of pigments and characteristics of color extracts, 80

anthocyanin
heat stability of sunflower hull pigment, 553
pigments in skin of lychee fruit, 466

antibodies
structure of ovalbumin as revealed by monoclonals: epitopic changes during heat treatment, 224

antimicrobials
survival and inhibition of C sporogenes and L monocytogenes in microwave-ready beef roasts containing, 198

antinutritional factors
of faba beans; effects of cooking temperature and time, 1347

antioxidant
acceleration of tenderization/inhibition of warmed-over flavor by CaCl2 infusion into lamb, 359
activity of ultrafiltration permeate from acid whey, 1248
inhibition of PC liposome oxidation by porcine plasma, 1038
isolation and characterization of from shrimp, 143
kinetics of Listeria monocytogenes in presence of food additives, 10
phytic acid as, 560
peroxidase activity in vegetable extracts treated with, 68; to preserve rockfish color, 1564

apple
irradiation influence on yield and quality of juice, 1628
juice extraction process and cultivar influence on juice properties, 1614
reverse osmosis and flavor retention in juice concentration, 484

applesauce
iron in: effect of continued use of iron cookware, 584

aquaculture
thermal denaturation in fish muscle proteins during gelling: effect of spawning condition, 281

Arai treatment
short thermal treatment effect on carp: mechanisms in rigor mortis acceleration by, 653

areometry
for following alcoholic fermentation in wines, 1635

aroma
evaluation of odorants in dill seed and herb by extract dilution analysis, 63
influence of maturity on volatiles from salmon, 1576
sorption evaluation of aseptic packaging, 1051

ascorbic acid-2-phosphate
uptake and fate in infiltrated fruit and vegetable tissue, 419

ascorbyl palmitate
efficacy in enhancing accelerated storage stability of canola oil, 1651

asparagine
germination response of B subtilis to, 1399

asparagus
thermal inactivation of lipoxygenase and peroxidase, 47

aspartame
comparison of temporal perception of fruitiness in model systems sweetened with, 823
degradation: in yogurt related to microbial growth, 21; kinetics as affected by pH in intermediate and low moisture food systems, 17
destructive effect on ascorbic acid in Cu-catalyzed solutions, 14
kinetic study of degradation in neutral pH range, 1671
modification of fruit flavors by, 1668
stability in fruit preparations used in yogurt, 689

Aspergillus
flavus: aflatoxin and cyclopiazonic acid production by in maize, 871
niger: action of lipase on butteroil emulsions, 1233; production of citric acid from beet molasses by, 878

atmosphere
adenine nucleotide degradation in modified chill-stored fresh fish, 1267
microbial changes in lettuce stored under controlled, 1586
model for produce respiration in modified based on enzyme kinetics, 1580

ATP
postmortem changes in sardine muscle, 151

ATPase
effect of pressure treatment on actomyosin from flying fish and sardine muscle, 338

autoxidation
role of milk fat globule membrane in, 398

availability
phytate hydrolysis by phytase in cereals: effects on estimation of iron, 1330

avidin
residual activity in cooked egg white assayed with improved sensitivity, 707

B

baby food
vitamin E constituents of weaning foods from germinated cereals and legumes, 270

Bacillus
aciduric, pH-elevating which cause noneffervescent spoilage of tomatoes, 1611
stearothermophilus: recovery altered by media concentration and formulation, 1408
subtilis: germination response to caramelized sugar and asparagine, 1399

bacon
HMNTCA in and conversion to 2-(hydroxymethyl)-N-nitrosothiazolidine during high-heat cooking, 913

baking
native and succinylated sunflower proteins use in bread, 992
sensory and nutritional properties based on wheat-rice-soybean flours in microwave, 1699
starch gelatinization in bread, 1702

Ball's formula
estimating cooling process lethality for different cooling j values, 1063

basil
packaging and storage effects on microbiological quality of dried, 873

batter
methods for determining air content in meat, 1453

beans
broad: thermal gelation mechanism of legumin from, 722
changes in components in development of hard-to-cook defect, 436
extrudates from navy and pinto blended with legume high protein fractions, 431
faba: amino acid composition and antinutritional factors of: effects of cooking temperature and time, 1347
feed moisture effects on functional properties, trypsin inhibitor and hemagglutinating activities of starch fractions, 443
green: measurement of lipoxygenase activity in, 719; osmotic concentration of prior to freezing, 1008
high temperature extrusion effects on protein solubility and distribution in navy and pinto, 1013
relationship of loss of membrane functionality and hard-to-cook defect in, 590
tepary: flour, albumin and globulin fraction: properties compared with soy protein isolate, 1316

beef
aging effects on palatability from three quality grades, 601
bacteria and volatiles associated with spoilage, 1147
blood fraction effects on antibotulinal efficacy of nitrite in sausage, 1158
changes in titin and nebulin in muscle revealed by gel electrophoresis, Western blotting and immunofluorescence microscopy, 607
C sporogenes and L monocytogenes in microwave-ready roasts containing antimicrobials, 198
color stability in steaks during frozen storage: effects of binders, 1461
control of S typhimurium, L monocytogenes and E coli in model spray chilling system, 191
determination of metmyoglobin reductase activity in skeletal muscle, 1161
determination of sorbic acid in raw, 863
DSC studies of meat protein-alginate mixtures, 175
effect of ferrous iron, salt, cooking and Coffi on TBA numbers in ground, 172
effect of Na lactate on microbial and chemical composition during storage, 341
evaluation of partially defatted chopped in fermented snack sausage, 348
factors affecting catalysis of lipid oxidation by ferritin-containing extract of muscle, 356
flavor and oxidative stability of affected by source and storage, 899
grinding time and pressure developed in: effect of temperature and fat, 1171
hot-fat trimming and electrical stimulation effects on quality of, 1484
impact of soy protein isolates on rancidity development in, 188
improvement of color and lipid stability in with vitamin E and C dip treatment, 1489
influence of feeding regimen on sensory quality and fatty acid content of, 1102
influence of sodium, potassium and magnesium chloride on thermal properties of muscle, 180
isolation of Yersinia enterocolitica from, 1524
lactate dehydrogenase activity in muscle as means of determining heating endpoint, 895
microbial characteristics of vacuum-packaged restructured, 1136
mitochondrial activity and muscle color stability, 1476
NIR spectroscopy determination of physical and chemical characteristics in, 1493
oxidative stability of processed with oleoresin rosemary, TBHQ and STPP, 597
pigment stability improvement in by ascorbic acid application, 857
predictors of tenderness, 1130
processing ingredients affecting oxidative and textural stability of roasts, 1480
properties of heat-induced gels from skeletal, heart, lung and spleen protein fractions, 1165
properties of rice mixtures, 1154
replacement of fat with plant oil in lean ground patties, 861
sensory comparisons of treated with Na lactate, 1141
sensory, instrumental texture profile and cooking properties of steak made with binders, 1457
sodium lactate effect on sensory characteristics, cooked color and chemical composition, 621
soy protein and oil effects on chemical, physical and microbial stability of lean ground patties, 906
storage and bacterial contamination effects on myofibrillar proteins and shear force of, 903
storage of produced with algin/calcium/adipic acid gel, 604
supercritical carbon dioxide conditions affecting lipid and cholesterol extraction from ground, 183
synthesis of cured-meat pigment, 1205
tenderizing, aging and thawing effects on sensory, chemical and physical properties of, 1125
vitamins E and C improve pigment and lipid stability in ground, 194
volatile alkylphenols and thiophenol in, 1197

beet
production of citric acid from molasses by A niger, 878

behavior
of cowpea flour and starch dispersions, 1311

beverage
ascorbic acid retention in orange juice stored under simulated consumer home conditions, 867
calcium supplementation and processing effects on orange juice quality, 1369
changes during storage of alcoholic orange juice, 475
chemiluminescent assay for glycerol in wine using flow-injection, 1097
filter, fourier transform infrared, and areometry for following alcoholic fermentation in wines, 1635
inactivation of pectinesterase in orange juice by supercritical CO2, 743
irradiation influence on yield and quality of fruit juice, 1628
juice extraction process and cultivar influence on juice properties, 1614
limonin and naringin removal from grapefruit juice with naringinase entrapped in cellulose triacetate fibers, 31
model for evaluating turbidity in cloudy, 747
multiple standards to define sensory characteristics for descriptive analysis: aspects of concept formation, 838
orange juice stabilization by proteic inhibitor of pectin methylesterase, 1632
reverse osmosis and flavor retention in apple juice concentration, 484
reverse osmosis concentration of citrus juice essence, 1027
supercritical CO2 effects on quality of orange juice, 1030
turbidity with citrus oil clouding agent, 1024

binders
color stability in beef steaks during frozen storage: effects of, 1461
sensory, instrumental texture profile and cooking properties of beef steak made with, 1457

binding
of volatile flavor compounds to soy protein in model systems: temperature effect, 802

bioavailability
pork loin as source of Zn and effect of added cysteine on Zn, 1505
soluble, dialyzable and ionic calcium in raw and processed skim milk, whole milk and spinach, 864

bioindicator
immobilized peroxidase for evaluation of thermal processes, 567

biotin
Salmonella detection in meat and fish by membrane hybridization with DNA probe, 1519

bisulfite
alternatives in processing abrasion-peeled potatoes, 257

blanching
lipoxygenase as index for frozen soybeans, 448

blood
effect of ionizing radiation on sterility and functional qualities of dehydrated plasma, 168
effects on antibotulinal efficacy of nitrite in beef sausage, 1158

bologna
low-fat, high added-water: formulated with texture-modifying ingredients, 643

bone
ESR for monitoring radiation-processed meat containing, 1104
protein digestibility of dehydrated protein extract from poultry, 1751

boning
preblending hot- and cold-pork at different particle sizes, 1511

bran
isolation and structure of vitamin B6 conjugate in rice, 268

bread
comparison of models for compressibility of, 756
native and succinylated sunflower proteins use in baking, 992
RSM in development of rice flour yeast: sensory evaluation, 751
starch gelatinization in baking, 1702

breadfruit
preparation, stability and acceptability of chips, 1608

brine
fermentative bacteria in model low salt cucumber juice, 462
NaCl concentration in cheese for different volume ratios with solid during salting, 1548
variability of salt absorption by dipped fillets of cod, flounder and perch, 648

browning
water activity and temperature effects on amino acids in squid, 665

butter
colorimetric assay for free fatty acids in using flow-injection and immobilized enzymes, 1229

butteroil
action of A. niger lipase on emulsions, 1233

C

cabbage
equilibrium water content and state of water in dehydrated, 1597

cadmium reduction-Griess
nitrate analysis in meats: comparison of methods, 1123

calcium
chelation influencing whey protein gel rheology, 789
chloride: acceleration of tenderization/inhibition of warmed-over flavor by infusion into lamb, 359
effect of Zn and Fe solubility in wheat cereal systems under simulated GI pH, 146
effect on thermal behavior of whey proteins, 1119
effects on firmness of peaches, 739
effects on functional and textural characteristics of pork, 632
emulsifying salts influence on characteristics of cheese analogs from caseinate, 1542
in raw and processed skim milk, whole milk, and spinach, 864
moisture, fat and cholesterol in goat meat, 1191
nutritional evaluation with animal model of cottage cheese fortified with, 692
pH effect on inhibition of softening of cucumber, 730
storage of beef produced with gel, 604
sulfate: concentration influence on yield and quality of tofu from soybean varieties, 1604
supplementation and processing effects on orange juice quality, 1369

calorimetry, differential scanning (DSC)
relationship of solubility of whey protein concentrates to thermal properties determined by, 1448
retrogradation of rice starches studied by, 564
starch gelatinization in bread baking, 1702
studies of meat protein-alginate mixtures, 175
thermal properties of surimi analyzed by, 302

candelilla
wax emulsion, preparation and stability, 1382

canola
ascorbyl palmitate efficacy in enhancing accelerated storage stability of oil, 1651
microwave inactivation of myrosinase in seeds, 1372

cans/canning
material influence on performance of rotating cookers, 1718
thermal processes for compared to retortable plastic containers, 835
thermal sterilization of conduction-heated foods in plastic cylinders using convective boundary conditions, 827
verification of USDA recommendations for tomatoes processed at high altitudes, 736

caramel
particle size effects on diffuse reflectance of sucrose admixture, 1117

caramelization
germination response of B subtilis to sugar and asparagine, 1399

carbamate, isopropyl N-(chlorophenyl) (CPIC)
effect on nitrogenous constituents of potatoes, 532

carbohydrate
water and molecular weight effects on glass transitions in, 1676

carbon dioxide
conditions affecting extraction of lipid and cholesterol from ground beef, 183
effect of exposure to on quality of strawberries, 50
effect on quality of orange juice, 1030
extraction of annatto pigments and characteristics of color extracts, 80
extraction of annatto seed pigment by supercritical, 1655
inactivation of pectinesterase in orange juice by supercritical, 74
storage of oranges pretreated with in air, 469

carnosine
inhibition of oxidative rancidity in ground pork by, 1179

carotenoid
interactions among oil components during adsorption: effects on, 1648

carp
short thermal treatment effect on: mechanisms in rigor mortis acceleration by Arai treatment, 653

carrageenan
immobilization effects on Schiz. pombe activity and stability, 1095

carrot
control of surface discoloration caused by abrasion peeling, 416
inactivation and regeneration of peroxidase activity in, 68
nonstarch polysaccharide fractions of, 1593
SEM of stick surface to determine cause of white translucent appearance, 1357

casein
qualitative and quantitative determination of with HPLC, 1415
solubility and viscous properties of, 556

caseinate
emulsifying salts influence on characteristics of cheese analogs from calcium, 1542
enzymatic production of low-Phe product from skim milk powder and, 938
from skim milk powder by extrusion processing: physicochemical and functional properties, 1552
solubility and viscous properties of, 556

cassava (Manihot esculenta)
effect of extrusion variables on extrudates, 1334
texture and microstructure of flour extrudate, 1319

catalysis
factors affecting lipid oxidation by ferritin-containing extract of beef muscle, 356

catfish
extraction and quantification of tocopherol in, 1113

cations
inhibition of warmed-over flavor development by, 1055
isolation of gellan gum from foods by use of monovalent, 1342

caucas (Allium victorialis L.)
influence of drying methods on volatile sulfur constituents of, 72

cellulose
limonin and naringin removal from grapefruit juice with naringinase entrapped in, 31
water retention capacity and viscosity effect of powdered, 1682

cellulosics
sulfite in by ion exclusion chromatography with electrochemical detection, 1087

cereal
effect of Zn concentration, Ca source, percent milkfat and homogenization on Ca, Fe and Zn solubility in wheat systems under simulated GI pH, 146
phytate hydrolysis by phytase in: effects on estimation of iron availability, 1330
vitamin E constituents of weaning foods from, 270

cheese
cheddar: determination of sugars and organic acids in by HPLC, 276; effect of added lactobacilli on composition and texture of during maturation, 696; heat-shocked lactobacilli for acceleration of ripening, 948; lactic acid bacteria relation to maturation of, 1238
emulsifying salts influence on characteristics of analogs from calcium caseinate, 1542
improving acid production in soy-based yogurt by adding whey proteins and mineral salts, 999
microfiltration affinity purification of lactoferrin and IgG from whey, 701
mozzarella: Gerber test for free oil in, 1115
NaCl concentration in for different volume ratios of brine and solid during salting, 1548
Vacherin Mont d'Or: isolation of low-MW peptides from, 943
volatile branched-chain fatty acids and phenolic compounds in aged Italian flavor, 1241

chelation
of calcium influencing whey protein gel rheology, 789

chemiluminescence
assay for glycerol in wine using flow-injection, 1097

chemistry
changes during storage of an alcoholic orange juice beverage, 475
changes in components in development of hard-to-cook bean defect, 436
NIR spectroscopy determination of beef, 1493
of imitation crab, 164
of peanuts affected by harvest date and maturity, 1378
of sweet potatoes, 710
rigor condition, tumbling and salt level influence on characteristics of ham, 1514
soy protein and oil effects on ground beef, 906
tenderizing, aging and thawing effects on beef, 1125

cherries, Montmorency
texture of using shear/compression and stone removal forces, 260

chicken
cholesterol oxidation products in, 1194
effect of gamma irradiation of whole carcasses on bacterial loads and fatty acids, 371
effect of oleoresin rosemary, TBHQ and STPP on development of oxidative rancidity in nuggets, 616
fat content effects on yield, quality and microbiology of patties, 1527
heat-induced gelation of myosin from muscle at high ionic strength and low pH, 884
inhibition of warmed-over flavor development by cations, 1055
microbial effects of ultrasonication of drumstick skin, 247
physical properties of air-dried and freeze-dried, 611
precooking method affects warmed-over flavor of broiler breast patties, 881
protein digestibility of dehydrated protein extract from bone residue, 1751
protein extractability and thermally induced gelation properties of myofibrils from muscle, 210

chickpea
optimization of extrusion cooking process for flour by RSM, 1695
protein isolates: physicochemical, functional and nutritional characteristics, 726

chilling
control of S typhimurium, L monocytogenes and E coli on beef in model spray system, 191

chitin
content as measure of R stolonifer growth, 274

chitosan
coating effect on storability and quality of strawberries, 1618

chlorophyll
degradation kinetics of, 1639
stability during aseptic processing and storage, 1059
tocopherol effects on photosensitized oxidation of soybean oil, 807

chlorophyllides
degradation kinetics of, 1639

5α-cholestane-3,5,6-triol
in fast food french fried potatoes, 716

cholesterol
in goat meat, 1191
oxidation products in fast food french fried potatoes, 716
oxidation products in raw meat and chicken, 1194
plasma oxidation products (oxysterols) in human subjects fed a meal rich in oxysterols, 843
supercritical carbon dioxide conditions affecting extraction from ground beef, 183

chromatography
affinity: purification of lactoferrin and IgG from cheese whey, 701
gas: static headspace method for volatiles in canned salmon, 1271; volatile compounds from mesocarp of persimmons, 262
high performance liquid: analysis of biogenic amines in canned fish by, 158; determination of sugars and organic acids in cheddar cheese by, 276; galacturonate in pectic substances from fruits and vegetables: comparison with colorimetry, 423; method for determination of three flavins in milk by, 678; nitrate analysis in meats: comparison of methods, 1123; qualitative and quantitative determination of caseins with reverse-phase and anion-exchange, 1415
ion exclusion: sulfite in cellulosics by, 1087

chymosin
effects of ultrasound treatment on properties of, 926
quality of extracts obtained by ultrasound treatment, 406

citrus
absorption of flavor volatiles by low density polyethylene, 35
conformation of pectin using small amplitude oscillatory rheometry, 1365
turbidity of beverages with oil clouding agent, 1024

clam
analysis of volatile flavor components by dynamic headspace sampling and simultaneous distillation and extraction, 327

Clostridium
botulinum: behavior of spores in cooked turkey and modeling lag phase and probability of toxigenesis, 373; blood fraction effects on antibotulinal efficacy of nitrite in beef sausage, 1158; growth and toxigenesis in shelf-stable noodles, 264; heat resistance in menhaden surimi, 1562
perfringens: comparison of rapid methods for isolation and enumeration in meat, 367
sporogenes: in microwave-ready beef roasts containing antimicrobials, 198

clotting
diffuse reflectance profiles of enzyme preparations, 411

cloudiness
model for evaluating turbidity in beverages, 747

clouding
turbidity of beverages with citrus oil agent, 1024

coagulant
yield and quality of tofu affected by soybean and soymilk characteristics, 109

coalescence
index of protein-stabilized emulsions, 792

coating
effect on storability and quality of strawberries, 1618

coconut
chemical detoxification of aflatoxin-containing copra, 733

cod (Gadus morhua)
estimation of bacterial quality of fillets with disc flotation, 958
instrument for nondestructive texture measurement of raw fillets, 962
variability of salt absorption by brine dipped fillets, 648

Coffi
effect on TBA numbers in ground beef, 172

collagen
collagenase effect on thermal denaturation of intramuscular, 1497
pH effect on thermal transition temperature of, 1203

collagenase
effect on thermal denaturation of intramuscular collagen, 1497

color
antioxidants to preserve rockfish, 1564
development in model system during frying: role of amino acids and sugars, 1711
effect of packaging of ground pork in frozen storage, 363
improvement of stability in beef with dietary vitamin E and C dip treatment, 1489
mitochondrial activity and beef muscle stability, 1476

of ground pork with corn germ meals, 216
of nitrite-free cured meat after irradiation, 1450
of pasta influenced by wheat type and additives, 488
pigment stability improvement in beef steak by ascorbic acid application, 857
sodium lactate effect on beef, 621
stability in beef steaks during frozen storage: effects of binders, 1461
stability of trout fillets during frozen storage, 969
supercritical carbon dioxide extraction of annatto pigments and characteristics of extracts, 80

colorimetry
for free fatty acids in butter using flow-injection and immobilized enzymes, 1229
galacturonate in pectic substances from fruits and vegetables: comparison with HPLC with amperometric detection, 423

compressibility
comparison of models for breads and plastic foams, 756

compression
degree of elasticity determination in solid foods, 950
of ground pork with corn germ meals, 216
properties of kamaboko, 1287
strength of dairy gels, 1224
texture of cherries using shear and stone removal forces, 260
computer model for strain-stress analysis of food undergoing heat and mass transfer, 1438
parametric analysis for freezing of spheroidal or finitely cylindrical objects with volumetric changes, 543
simulation of starch-water interactions during phase transition, 121

concentration
of green beans prior to freezing, 1008
RO of orange juice essence, 1027

conduction
thermal process lethality variability in heated foods, 1424
thermal sterilization of heated foods in plastic cylindrical cans using convective boundary condition, 827
of gelatinized starches, 773

confectionery products
methylcellulose films to prevent lipid migration in, 504

containers
heat processing of high- and low-acid foods in semirigid, 1714

convection
effect of steam/air mixtures on heating product processed in steritort, 27

convective boundary condition
thermal sterilization of conduction-heated foods in plastic cylindrical cans using, 827

cookers
can material influence on performance of rotating, 1718

cookies
sensory and nutritional properties based on wheat-rice-soybean flours baked in microwave oven, 1699

cooking
amino acid composition and antinutritional factors of faba beans: effects of temperature and time, 1347
effect on TBA numbers in ground beef, 172
extrusion of corn/soy mix in presence of thermostable amylase, 99
HMNTCA in smoked meats and bacon and conversion to 2-(hydroxymethyl)-N-nitrosothazolidine during high-heat, 913
influence on yield and quality of crab, 657
inhibition of warmed-over flavor development by cations, 1055
iron in food: effect of continued use of iron cookware, 584
loss of ground pork with corn germ meals, 216
methods affects warmed-over flavor of broiler breast patties, 881
microstructure of peanut cotyledons after, 76
of beef steaks made with binders, 1457
optimization of extrusion process for chickpea flour by RSM, 1695
quality of brown rice as influenced by irradiation, variety and storage, 96
selection criteria of meat emulsion fillers based on kinetics of, 380
volatiles in strawberry jam: influence on volatiles, 1393

cooling
estimating process lethality for different cooling j values, 1063
growth rate effects on lactose crystal size distributions from a continuous crystallizer, 848

copper
destructive effect of aspartame on ascorbic acid in solutions catalyzed by, 14
effect of NaCl on pro-oxidant activity in peroxidation of phospholipid liposomes, 571

copra
chemical detoxification of aflatoxin-containing, 733

corn
composition, cooking loss, color and compression of ground pork with germ meals, 216
effect of extrusion conditions on sensory properties of meal extrudates, 84
effects of constituent concentration on rheology of oil-in-water emulsions, 796
emulsifying capacity and emulsion stability of protein flour, 1216
enzyme inactivation improves stability of meals, 494
extrudates from meal blended with legume high protein fractions, 431
extrusion cooking in presence of amylase, 99
phenolic acid contribution to taste of germ protein flour products, 1308
replacement of fat with oil in lean ground beef patties, 861
retention and solubility of proteins in model systems, 455

cornmeal
protein and fiber supplementation effects on snack quality, 760

cottage cheese
monitoring chemical and microbial changes using full-history time-temperature indicator, 402
nutritional evaluation with animal model of fortified with calcium and guar gum, 692

cottonseed
replacement of fat with soil in lean ground beef patties, 861

cowpea
flow behavior and gelatinization of flour and starch dispersions, 1311
rheology of sol-gel thermal transition in flour and starch slurry, 1744
thermal processing of slurries, 1302
thiamin, riboflavin and niacin retention in affected by kanwa treatment, 592

crab
chemical and microbiological analysis of imitation, 164
influence of polyphosphate soak and cooking on yield and quality of, 657

creatine phosphate
postmortem changes in sardine muscle, 151

cryo-shattering
factors affecting separation of low-fat flesh from fatty fish by, 1567

crystal
control in processed liquid honey, 1034
growth rate effects on lactose size distributions from a continuous cooling crystallizer, 848

crystallization
α-lactose monohydrate from ultrafiltered whey permeate in one-step, 777
of lactose from whey permeate in EtOH-water mixture, 935
plasticizing effect of water on amorphous food models, 38

crystallizer
growth rate effects on lactose crystal size distributions from a continuous cooling, 848

cucumber
acidification effects on microbial population during fermentation of, 1353
fermentative bacteria in model low salt juice brine, 462
pH effect on calcium inhibition of softening, 730

curdlan
properties and application to foods, 769

cysteine
pork loin as source of Zn and effect of added on Zn bioavailability, 1505

D

dairy products
compression strength of gels and microstructural interpretation, 1224
microbiology for monitoring spoilage", 1209

DDGS (dried distillers' grains with solubles)
particle size effects on volume and acceptability of baked potatoes, 1323

deamidation
effect of anions on soy protein, 452
membrane reactor for food proteins, 1725
ultrafiltration for recovery and reuse of peptidoglutaminase in protein, 1731

deboning, mechanical
pork use in fermented meat spreads, 1185

deer
volatile alkylphenols and thiophenol in, 1197

degradation
kinetic study of aspartame in neutral pH range, 1671
kinetics of aspartame as affected by pH in food systems, 17
kinetics of chlorophylls and chlorophyllides, 1639
of adenine nucleotide in chill-stored fresh fish, 1267

of aspartame in yogurt related to microbial growth, 21
of paralytic shellfish poison, 1572

dehydration
equilibrium water content and state of water in cabbage, 1597

delayed light emission
measuring muskmelon maturity by, 981
nondestructive evaluation of persimmon maturity by, 985

denaturation
collagenase effect on intramuscular collagen, 1497
in fish muscle proteins during gelling: effect of spawning condition, 281

density
absorption of citrus flavor volatiles by polyethylene, 35

detoxification
of aflatoxin-containing copra, 733

dialysis
influencing whey protein gel rheology, 789

diet
effects of meat and food components on valence of nonheme iron during digestion, 352
legume processing effects on fiber in, 1350

differential scanning calorimetry (DSC)
pH effect on thermal transition temperature of collagen, 1203

diffusivity
thermal sterilization of conduction-heated foods in plastic cylindrical cans using convective boundary conditions, 827

digestibility
evaluation of SDS-PAGE for estimating protein, 1082
of dehydrated protein extract from poultry bone residue, 1751

digestion
effects of meat and food components on valence of nonheme iron during, 352
of foods by microwave for Na analysis by atomic absorption spectrometry, 1412

dill (Anethum graveolens L.)
packaging and storage effects on microbiological quality of dried, 873
evaluation of odorants in seed and herb by aroma extract dilution analysis, 63

dip
improvement of color and lipid stability in beef with vitamin E and C treatment, 1489

disc flotation
estimation of bacterial quality of cod fillets with, 958

discoloration
control of carrot surface caused by abrasion peeling, 416

dispersion
flow behavior and gelatinization of cowpea flour and starch, 1311
growth rate effects on lactose crystal size distributions from a continuous cooling crystallizer, 848
pattern effects on surimi gel texture, 1263

dissociation
of milk protein complexes in heated reconstituted concentrated skim milks, 238

distillation
analysis of volatile flavor components in clam by, 327

DNA
Salmonella detection in meat and fish by membrane hybridization with, 1519

dough
characteristics of wheat flour using E cloacae with and without yeast, 106
viability and performance of yeast in wheat, 1690

drainage
kinetics of liquid from protein stabilized foams, 24

drying
effect of temperature on volatiles in peanuts, 579
influence of method on volatile sulfur constituents of caucas, 72

dyes
adsorption of methyl orange on starches, 90

E

EDTA
method for analysis of TMAO using, 132

egg
conditions affecting emulsifying properties of yolk phosvitin, 1259
factors contributing to antilisterial effects of albumen, 1251
fractionation of water-soluble and insoluble components from yolk with minimum use of organic solvents, 1537
ionic strength and pH effects on composition and microstructure of yolk granules, 1532
lipid extraction of yolk powder: effects on emulsifying properties and protein fraction, 1255
residual avidin activity in cooked white assayed with improved sensitivity, 707
rheology of heat-induced gels from albumen subjected to freeze-thaw, 764
thermal resistance of -associated epidemic strains of S enteritidis, 391
volatile compounds in scrambled, 387

eggplant
inactivation and regeneration of peroxidase activity in, 68

elasticity
determination in solid foods, 950

electrical stimulation
effects on beef quality, 1484

electrochemical detection
sulfite in cellulosics by ion exclusion chromatography with, 1087

electrochemistry
quantitative analysis of uric acid in milk, 594

electrophoresis
SDS-PAG: for estimating protein digestibility, 1082
gel: changes in titin and nebulin in beef muscle revealed by, 607

emulsification
conditions affecting egg yolk phosvitin, 1259
effect of lipid extraction of egg yolk powder on, 1255
milkfat effects on rheology of acid-induced milk gels, 920
relationship of absorptive and interfacial behavior of food proteins to, 253
salts influence on characteristics of cheese analogs from calcium caseinate, 1542

emulsion
action of A niger lipase on butteroil, 1233
candelilla wax, preparation and stability, 1382
capacity and stability of milk protein and corn germ protein flour, 1216
coalescence index of protein-stabilized, 792
effect of propylene glycol alginate and xanthan gum on stability of O/W, 513
effects of constituent concentration on rheology of corn oil-in-water, 796
fast determination of spatially localized volume fractions in, 799
prediction of instability from composition and physicochemical properties of proteins, 116
properties of milk fat stabilized with milk fat globule membrane, 1219
selection criteria of meat fillers based on properties and cooking kinetics, 380

encapsulation
of pre-formed cooked cured-meat pigment, 1500

endpoint
lactate dehydrogenase activity in bovine muscle as means of determining endpoint, 895

Enterobacter cloacae GAO
characteristics of wheat flour dough using, 106

enzyme
Salmonella detection in meat and fish by membrane hybridization with chromogenic/phosphase/biotin DNA probe, 1519
action of A niger lipase on butteroil emulsions, 1233
chemiluminescent assay for glycerol in wine using flow-injection, 1097
collagenase effect on thermal denaturation of intramuscular collagen, 1497
colorimetric assay for free fatty acids in butter using, 1229
determination of metmyoglobin reductase activity in bovine skeletal muscle, 1161
diffuse reflectance profiles of milk-clotting preparations, 411
effect of heat processing on quality of oysters, 1292
effect of pressure treatment on actomyosin ATPases from flying fish and sardine muscles, 338
effect of ultrasound treatment on properties of chymosin, 926
extrusion cooking of corn/soy mix in presence of thermostable amylase, 99
growth temperature and action of lysozyme on L monocytogenes, 1101
hydrolysis of milk fat with lipase in reversed micelles, 234
identification of tyrosinase in mushrooms by isoelectric focusing, 93
immobilized peroxidase: potential bioindicator for evaluation of thermal processes, 567
inactivation and regeneration of peroxidase activity in vegetable extracts treated with antioxidants, 68
inactivation improves stability of self-rising corn meals, 494
inactivation of pectinesterase in orange juice by supercritical carbon dioxide, 743
lactate dehydrogenase activity in bovine muscle as means of determining heating endpoint, 895

limonin and naringin removal from grapefruit juice with naringinase entrapped in cellulose triacetate fibers, 31
lipoxygenase as blanching index for frozen soybeans, 448
maltotetraose production using P stutzeri amylase in membrane recycle bioreactor, 1019
measurement of lipoxygenase activity in green bean tissue, 719
membrane reactor for deamidation of food proteins, 1725
microwave inactivation of myrosinase in canola seeds, 1372
model for produce respiration in modified atmosphere based on kinetics, 1580
orange finisher pulp as substrate for polygalacturonase production by Rhizopus oryzae, 480
orange juice stabilization by proteic inhibitor of pectin methylesterase, 1632
phenoloxidase activity from Florida spiny and Western Australian lobster, 154
phytate hydrolysis by phytase in cereals: effects on estimation of iron availability, 1330
production of extracellular glucosidase and galactosidase during fungal growth on polygalacturonate, 1749
production of fish protein hydrolysates with bacterial proteases; yield and nutritional value, 309
production of low-Phe product from skim milk powder and caseinate, 938
purification and characterization of proteases from digestive tract of grass shrimp, 322
ripeness and tissue depth effects on heat inactivation of papaya ethylene-forming, 996
supercritical CO_2 effects on quality of orange juice, 1030
thermal inactivation of asparagus lipoxygenase and peroxidase, 47
thermostability of soluble and immobilized horseradish peroxidase, 574
ultrafiltration for recovery and reuse of peptidoglutaminase in protein deamidation, 1731
vacuum infusion of citrus pectinmethylesterase and calcium effects on firmness of peaches, 739

epitopes
structure of ovalbumin as revealed by monoclonal antibodies: changes during heat treatment, 224

equilibrium
isotherm equations to represent moisture sorption on starch, 1106
water content and state of water in dehydrated cabbage, 1597

Escherichia coli 0157:H7
control on beef in model spray chilling system, 191

esterification
pectin influence on volatiles and sensory characteristics of strawberry jam, 1621

ethanol
α-lactose crystallization from whey permeate in water mixture, 935
α-lactose monohydrate from ultrafiltered whey permeate in crystallization using -water mixtures, 777

ethylene
absorbent to maintain quality of processed fruits and vegetables, 1589
ripeness and tissue depth effects on heat inactivation of papaya -forming enzyme, 996
vinyl alcohol (EVOH): sorption of volatile compounds in solution by copolymer films, 500

ethylmaleimide, N-
effect on rheology of B-lactoglobulin gels at alkaline pH, 1338

evaporator
viscosity reduction and reformation of structure in orange concentrate as affected by homogenization within, 1360

extract
quality of chymosin obtained by ultrasound treatment, 406

extractability
of protein from myofibrils from chicken muscle, 210

extractant
lithium chloride preferred for fish muscle proteins, 315

extraction
analysis of volatile flavor components in clam by, 327
of annatto seed pigment by supercritical carbon dioxide, 1655
of egg yolk powder: effects on emulsifying properties and protein fraction, 1255
of lipid and pigment from mechanically separated seal meat, 1295
of peanut proteins with water by RSM, 1660
of tocopherol in catfish, 1113
process influence on properties of juice, 1614
supercritical carbon dioxide conditions affecting lipid and cholesterol from ground beef, 183

extrudate
effect of extrusion conditions on sensory properties of corn meal, 84
from starch fractions of navy and pinto beans and corn meal blended with legume high protein fractions, 431

extrusion
analysis of shear and thermal history during co-rotating twin-screw, 518
cooking of corn/soy mix in presence of thermostable amylase, 99
effect of variables on cassava extrudates, 1334
effect on sensory properties of corn meal extrudates, 84
high temperature effects on protein solubility and distribution in navy and pinto beans, 1013
optimization of cooking process for chickpea flour by RSM, 1695
sodium caseinate from skim milk powder by processing: physico-chemical and functional properties, 1552
texturization of acid and alkali soy proteins, 1002

F

fat
bologna low in: formulated with texture-modifying ingredients, 643
content effects on yield, quality and microbiological characteristics of chicken patties, 1527
effect of milk percent on Ca, Fe and Zn solubility in wheat cereal systems under simulated GI pH, 146
emulsified effects on rheology of acid-induced milk gels, 920
factors affecting separation of flesh low in from fatty fish by cryoshattering, 1567
grinding time and pressure developed in beef and pork: effect of, 1171
hydrolysis of milk with lipase in reversed micelles, 234
in goat meat, 1191
properties of milk emulsions stabilized with globule membrane, 1219
replacement with plant oil in lean ground beef patties, 861
role of milk globule membrane in autoxidation of milk, 398
trimming effects on beef quality, 1484
volatile alkylphenols and thiophenol in species-related characterizing flavors of red meats, 1197

feeding
influence of regimen on sensory quality and fatty acid content of beef, 1102

fermentation
acidification effects on microbial populations during cucumber, 1353
alginate and carrageenan immobilization effects on Schiz. pombe activity and stability, 1095
bacteria in model low salt cucumber juice brine, 462
effect of yams on characteristics of processed flour, 272
evaluation of partially defatted chopped beef in snack sausage, 348
filter, fourier transform infrared, and areometry for following wine, 1635
pork use in meat spreads, 1185
production and evaluation of milk-sweet potato mixtures with yogurt bacteria, 685
proximate, nutritional and microbiological analyses of milk-sweet potato mixtures with yogurt bacteria, 682
starter culture and time/temperature of storage influences on quality of mutton sausage, 916

ferritin
factors affecting catalysis of lipid oxidation by -containing extract of beef muscle, 356

ferrous sulfate
method for analysis of TMAO using, 132

fiber
legume processing effects on dietary, 1350
limonin and naringin removal from grapefruit juice with naringinase entrapped in cellulose, 31
supplementation effects on extruded cornmeal snack quality, 760

fillers
selection criteria of meat emulsions based on properties and cooking kinetics, 380

film
methylcellulose to prevent lipid migration in confectionery products, 504
sorbic acid and potassium sorbate permeability of edible methylcellulose-palmitic acid: water activity and pH effects, 497
sorption of flavor compounds by low density polyethylene, 1421
sorption of volatile compounds in solution by ethylene-vinyl alcohol copolymer, 500

finfish
microorganisms on commercially processed, 1279

firmness
vacuum infusion of citrus pectinmethylesterase and calcium effects on peaches, 739

fish oil
factors affecting quality of mayonnaise, 1298
flavin method for determination in milk by HPLC, 678

flavor
absorption of citrus volatiles by low density polyethylene, 35
analysis of volatile components in steamed rangia clam by dynamic headspace sampling and simultaneous distillation and extraction, 327
effect of irradiation and storage on garlic bulbs, 44
inhibition of warmed-over by $CaCl_2$ antioxidant infusion into lamb carcasses, 359
inhibition of warmed-over development by cations, 1055

modification of fruit by aspartame and sucrose, 1668
multiple standards to define sensory characteristics for descriptive analysis: aspects of concept formation, 838
of ground beef affected by source and storage, 899
precooking method affects warmed-over of broiler breast patties, 881
rancidity of milk: relationship of acid degree value, free fatty acids and sensory perception, 394
retention in apple juice concentration, 484
sorption of compounds by low density polyethylene film, 1421
STP and SAsMP as inhibitors of development in turkey, 1529
temperature effect on binding of volatile compounds to soy protein in model systems, 802
volatile alkylphenolc and thiophenol in red meats, 1197
volatile branched-chain fatty acids and phenolic compounds in aged Italian cheese, 1241

flounder, Blackback (Pseudopleuronectes americanus)
variability of salt absorption by brine dipped fillets, 648

flour
characteristics of wheat dough using E cloacae with and without yeast, 106
effect of fermentation of yams on characteristics of, 272
emulsifying capacity and emulsion stability of corn germ protein, 1216
flow behavior and gelatinization of cowpea, 1311
optimization of extrusion cooking process for chickpea by RSM, 1695
phenolic acid contribution to taste of corn germ protein products, 1308
properties of tepary bean compared with soy protein isolate, 1316
puffing effects on functional properties of Amaranthus paniculatas seed, 1121
rheology of sol-gel thermal transition in cowpea, 1744
RSM in development of rice yeast breads: sensory evaluation, 751
sensory and nutritional properties based on wheat-rice-soybean baked in microwave, 1699
texture and microstructure of cassava extrudate, 1319

flow
behavior of cowpea flour and starch dispersions, 1311
residence time distribution of fluid and particles in turbulent, 255

flow-injection
chemiluminescent assay for glycerol in wine using, 1097

fluid
residence time distribution of in turbulent flow, 255

flying fish
effect of pressure treatment on actomyosin ATPases from muscle, 338

foam
comparison of models for compressibility of plastic, 756
kinetics of liquid drainage from protein stabilized, 24
salt effects on stability of whey protein isolate, 588

food additives
kinetics of growth and inhibition of L monocytogenes in presence of antioxidants, 10

food engineering
freezing time modeling for small finite cylindrical shaped foodstuff, 1072

food, cylindrical shaped
freezing time modeling for small finite, 1072

fortification
microencapsulated iron for food, 1047
nutritional evaluation with animal model of cottage cheese with calcium and guar gum, 692

frankfurters
NTHZ and NTHZC in containing pollock, 1108

freeze-drying
monitoring by NMR: determination of sublimation endpoint, 1707
physical properties of chicken, 611
processing, packaging, and storage effects on strawberries, 1388

freeze-thaw
rheological properties of heat-induced gels from egg albumen subjected to, 764

freezer, home
temperature, pH and bacterial population of meat as influenced by failure of, 1508

freezing
characterization of irradiated peanut kernels stored under, 1375
curdlan: properties and application to foods, 769
effect of damage on volatiles in peanuts, 579
effect of packaging on color and physical characteristics of ground pork in storage, 363
effect on quality, bacteriology and retail-case life of pork, 891
fate of L monocytogenes during, 1068
lipid changes during frying of frozen prefried foods, 1644
lipoxygenase as blanching index for soybeans, 448
osmotic concentration of green beans prior to, 1008
parametric analysis for spheroidal or finitely cylindrical objects with volumetric changes, 543
time modeling for small finite cylindrical shaped foodstuff, 1072

freshness
characterization of squid using indicators of, 161
semiconductive trimethylamine gas sensor for detecting fish, 1275

fruit
content influence on gel strength of strawberry and peach jams, 1384
ethylene absorbent to maintain quality of, 1589
galacturonate in pectic substances from: comparison of HPLC with amperometric detection to colorimetry, 423
irradiation influence on yield and quality of juice, 1628
modification of flavors by aspartame and sucrose, 1668
stability of aspartame in preparations used in yogurt, 689
sugar content of using water peak suppression in MR, 1091
sulfhydryl and ascorbic acid relationships in, 427
uptake and fate of ascorbic acid-2-phosphate in, 419

fruitiness
comparison of temporal perception of in model systems sweetened with aspartame, an aspartame + acesulfame K blend, or sucrose, 823

frying
color development in model system during: role of amino acids and sugars, 1711
lipid changes during of frozen prefried foods, 1644

G

galactosidase, α-
production during fungal growth on polygalacturonate, 1749

galacturonate
in pectic substances from fruits and vegetables:comparison of HPLC with amperometric detection to colorimetry, 423

garlic
effect of irradiation and storage on flavor of bulbs, 44

gas
headspace composition as measure of R stolonifer growth, 274
inhibition of production in tofu, 1600
trimethylamine sensor for detecting fish freshness, 1275

gel
compression strength of dairy, 1224
curdlan: properties and application to foods, 769
emulsified milkfat effects on rheology of acid-induced milk, 920
factors influencing whey protein rheology: dialysis and calcium chelation, 789
forming characteristics and rheological properties of kefiran, 1017
fruit content influence on strength of strawberry and peach jams, 1384
mercaptoethanol, N-ethylmaleimide, propylene glycol and urea effects on rheology of β-lactoglobulin, 1338
properties from beef skeletal, heart, lung and spleen protein fractions, 1165
rheology of heat-induced from egg albumen subjected to freeze-thaw, 764
rheology of thermal transition in cowpea flour and starch slurry, 1744
role of light chains in heat-induced gelation of skeletal muscle myosin, 855
storage of beef produced with algin/calcium/adipic acid, 604
thermal conductivity of starches, 773
water binding and ingredient dispersion pattern effects on surimi texture, 1263

gelation
mechanism of legumin from broad beans, 722
of cowpea flour and starch dispersions, 1311
of myofibrils from chicken muscle, 210
of myosin from chicken muscle at high ionic strength and low pH, 884
of starch in bread baking, 1702
role of light chains in skeletal muscle myosin, 855

gellan
isolation of gum from foods by use of monovalent cations, 1342

gelling
changes in behavior of whey protein isolate and β-lactoglobulin during storage, 782
thermal denaturation in fish muscle proteins during: effect of spawning condition, 281

Gerber test
for free oil in mozzarella cheese, 1115

germination
response of B subtilis to caramelized sugar and asparagine, 1399

glass transition
water and molecular weight effects on in carbohydrates, 1676

gliadin
water sorption of, 510

globulin
properties of tepary bean compared with soy protein isolate, 1316

glucono-delta-lactone
yield and quality of tofu affected by soybean and soymilk characteristics, 109

glucose
crystal control in processed liquid honey, 1034

glucosidase, β-
production during fungal growth on polygalacturonate, 1749

gluten
rheological and structural properties of wiener-type products substituted with wheat, 228

glycerol
chemiluminescent assay for in wine using flow-injection, 1097

goat
volatile alkylphenols and thiophenol in, 1197

grape
irradiation influence on yield and quality of juice, 1628

grapefruit
limonin and naringin removal from juice with naringinase, 31

grinding
time developed in beef and pork: effect of temperature and fat, 1171

growth
rate dispersion effects on lactose crystal size distributions from a continuous cooling crystallizer, 848

guar
nutritional evaluation with animal model of cottage cheese fortified with gum, 692

gum
effect of xanthan on stability of O/W emulsions, 513
nutritional evaluation with animal model of cottage cheese fortified with guar, 692

H

ham
rigor condition, tumbling and salt level influence on physical, chemical and quality characteristics of, 1514

hard-to-cook defect
changes in components in development of beans, 436
relationship of loss of membrane functionality in beans, 590

harvesting
mechanical properties and chemical composition of peanuts affected by date of, 1378
storage potential of tomatoes at breaker stage using modified atmosphere packaging, 55

headspace
analysis of volatile flavor components in clam by dynamic sampling, 327
gas composition as measure of R stolonifer growth, 274

heart
properties of heat-induced gels from beef protein fraction, 1165

heat
effect of pH and NaCl on resistance of bacterial spores, 821
effect of pH and calcium on thermal behavior of whey proteins, 1119
reduction of resistance of N fisheri by sulfur dioxide, 876
ripeness and tissue depth effects on inactivation of papaya ethylene-forming enzyme, 996
stability of sunflower hull anthocyanin pigment, 553

heat exchanger
orientation influence on particle residence time distributions, 1446
process parameter effects on particle residence time in vertical scraped surface, 869

heat transfer
computerized model for strain-stress analysis of food undergoing, 1438

heating
changes in size and composition of protein aggregates in skim milk, 671
characteristics of milk constituents in microwave pasteurization system, 931
degradation of paralytic shellfish poison, 1572
effect of steam/air mixtures on convection product processed in steritort, 27
effect on quality of oysters, 1292
lactate dehydrogenase activity in bovine muscle as means of determining endpoint, 895
microwave effects on stabilities of tocopherols in oils, 1042
of high- and low-acid foods in semirigid containers, 1714
process parameter effects on particle residence time in vertical scraped surface heat exchanger, 869
properties of gels from beef skeletal, heart, lung and spleen protein fractions, 1165
resistance of C botulinum in menhaden surimi, 1562
resistance of S typhimurium and L monocytogenes in sucrose solutions, 1741
rheological changes in oatmeal suspensions during, 1685
rheology of -induced gels from egg albumen subjected to freeze-thaw, 764
role of light chains in induced gelation of skeletal muscle myosin, 855
sensory changes in umami taste of inosine 5'-monophosphate solution after, 1429
shocked lactobacilli for acceleration of cheddar cheese ripening, 948
structure of ovalbumin as revealed by monoclonal antibodies: epitopic changes during, 224
thermal gelation mechanism of legumin from broad beans, 722
thermal process lethality variability in foods, 1424
thermal sterilization of conduction-heated foods in plastic cylindrical cans using convective boundary condition, 827
thermal sterilization of foods in plastic cylindrical cans using convective boundary conditions, 827

hedonic measure
alternatives, 1

hemagglutination
feed moisture effects on bean starch fractions, 443

herb
evaluation of odorants in dill by aroma extract dilution analysis, 63
packaging and storage effects on microbiological quality of dried, 873

hexanal
measurement and kinetics of formation via lipid oxidation as function of O_2 concentration, 816

home-canning
verification of USDA recommendation for tomatoes processed at high altitudes, 736

homogenization
effect on Ca, Fe and Zn solubility in wheat cereal systems under simulated GI pH, 146
viscosity reduction and reformation of structure in orange concentrate as affected by within taste evaporators, 1360

honey
crystal control in processed liquid, 1034

horse
volatile alkylphenols and thiophenol in, 1197

horseradish peroxidase (HPO)
thermostability of, 574

hydrolysates
3-chloro-1,2-propanediol derived amino acids in protein, 139
3-chloro-1,2-propanediol derived amino alcohol in protein, 136
production of fish protein with bacterial proteases: yield and nutritional value, 309

hydrolysis
of milk fat with lipase in reversed micelles, 234
of phytate by phytase in cereals: effects on estimation of iron availability, 1330

hysteresis
in kudzu and sweet potato starch, 125

I

ice
preprocessing storage effects on functional properties of fish mince protein, 965

Immobilization
alginate and carrageenan effects on Schiz. pombe activity and stability, 1095
immunofluorescence changes in titin and nebulin in beef muscle revealed by, 607

immunoglobulin G
microfiltration affinity purification from cheese whey, 701

impedance
preservative and temperature effect on growth of Neosartorya fischeri measured by, 1735

inactivation
kinetics of foodborne yeasts, 6
of asparagus lipoxygenase and peroxidase, 47
of papaya ethylene-forming enzyme: ripeness and tissue depth effects, 996

infusion
of citrus pectinmethylesterase and calcium effects on firmness of peaches, 739
inosine 5'-monophosphate sensory changes in umami taste of solution after heating, 1429

instability
prediction from emulsion composition and physicochemical properties of proteins, 116

instrument
for nondestructive texture measurement of raw cod fillets, 962

interface
relationship of food proteins to emulsifying properties, 253

ion
strength effects on composition and microstructure of yolk granules, 1532

iron
determination of binding phenolic groups in foods, 128
effect of meat and food components on valence of nonheme during digestion, 352
effect of Zn concentration, Ca source, percent milkfat and homogenization on solubility in wheat cereal systems under simulated GI pH, 146
effect on TBA numbers in ground beef, 172
in food: effect of continued use of cookware made of, 584
inhibition of warmed-over flavor development by, 1055
microencapsulation for food fortification, 1047
phytate hydrolysis by phytase in cereals: effects on estimation of availability of, 1330

irradiation
bacterial spoilage profiles to identify fish, 332
characterization of peanut kernels stored under ambient and frozen conditions, 1375
color and oxidative stability of nitrite-free cured meat after gamma, 1450
cooking quality of brown rice influenced by, 96
effect on flavor of garlic bulbs, 44
influence on yield and quality of fruit juice, 1628
of whole chickens: effect on bacterial loads and fatty acids, 371

isoelectric focusing
identification of tyrosinase in mushrooms by, 93

isotherm
equations to represent moisture sorption on starch, 1106

J

j values
estimating cooling process lethality for different cooling, 1063

jam
fruit content influence on gel strength of strawberry and peach, 1384
pectin concentration, molecular weight and degree of esterification: influence on volatiles and sensory characteristics of strawberry, 1621
volatiles in strawberry: influence of cooking on volatiles, 1393

jicama
(Pachyrrhizus tuberosus) texture of raw and canned, 977

juice
RO concentration of orange essence, 1027
ascorbic acid retention in orange stored under simulated consumer home conditions, 867
calcium supplementation and processing effects on orange quality, 1369
changes during storage of alcoholic orange beverage, 475
extraction process and apple cultivar influence on properties of, 1614
fermentative bacteria in model low salt cucumber brine, 462
inactivation of pectinesterase in orange by supercritical CO_2, 743
irradiation influence on yield and quality of fruit, 1628
limonin and naringin removal from grapefruit with naringinase, 31
orange stabilization by proteic inhibitor of pectin methylesterase, 1632
reverse osmosis and flavor retention in apple concentration, 484
supercritical CO_2 effects on quality of orange, 1030

K

kamaboko
axial compression properties of, 1287
kanwa treatment thiamin, riboflavin and niacin retention in cowpeas affected by, 592

kefiran
gel-forming characteristics and rheological properties of, 1017

kinetics
chlorophyll stability during aseptic processing and storage, 1059
evaluation with linearly increasing temperature profiles: integral methods, 1433
growth rate dispersion effects on lactose crystal size distributions from a continuous cooling crystallizer, 848
model for produce respiration in modified atmosphere based on enzyme, 1580
of aspartame as affected by pH in food systems, 17
of chlorophylls and chlorophyllides, 1639
of growth and inhibition of Listeria monocytogenes in presence of antioxidant food additives, 10
of hexanal formation via lipid oxidation as function of O_2 concentration, 816
of liquid drainage from protein stabilized foams, 24
selection criteria of meat emulsion fillers based on cooking, 380
starch gelatinization in bread baking, 1702
study of aspartame degradation in neutral pH range, 1671
thermal inactivation of foodborne yeasts, 6

kiwi
orange juice stabilization by proteic inhibitor of pectin methylesterase, 1632

kudzu
moisture sorption hysteresis in starch, 125

L

lactalbumin
effects of pH and calcium on thermal behavior of whey proteins, 111

lactate
assessment of addition to fresh pork sausage, 220
effect on microbial and chemical composition of cooked beef during storage, 341
postmortem changes in sardine muscle, 151
sodium: effect on sensory characteristics, cooked beef color and chemical composition, 62

lactate dehydrogenase (LDH)
activity in muscle as means of determining heating endpoint, 895

lactitol
determination of optimal level from surimi, 285

lactobacilli
effect on composition and texture of cheddar cheese during maturation, 696
heat-shocked for acceleration of cheddar cheese ripening, 948
lactococcus differential agar medium, 1729

lactoferrin
microfiltration affinity purification from cheese whey, 70

lactoglobulin, β-
changes in gelling behavior during storage, 782
mercaptoethanol, N-ethylmaleimide, propylene glycol and urea effects on rheology of gels, 1338

lactose
crystallization from whey permeate in EtOH-water mixture, 935
growth rate effects on crystal size distributions from a continuous cooling crystallizer, 848
monohydrate, α: from ultrafiltered whey permeate in crystallization using EtOH-water mixture, 777

lamb
acceleration of tenderization/inhibition of warmed-over flavor by $CaCl_2$ antioxidant infusion into, 359
isolation of Yersinia enterocolitica from, 1524

leavening
starch gelatinization in bread baking, 1702

legume
extrudates from starch fractions of navy and pinto beans and corn meal blended with, 431
processing effects on dietary fiber, 1350
vitamin E constituents of weaning foods from, 270

legumin
thermal gelation mechanism of from broad beans, 722

lethality
estimating cooling process for different cooling j values, 1063
thermal process variability in conduction-heated foods, 1424

lettuce
effect of preparation procedures and storage parameters on quality of salad-cut, 60
microbial changes in stored under controlled atmospheres, 1536
microbial flora and storage quality of partially processed, 459

light
effect on oxidative stability of pork, 1182

limonin
removal from grapefruit juice with naringinase, 31

lipase
action of A niger on butteroil emulsions, 1233
hydrolysis of milk fat with in reversed micelles, 234

lipid
changes during frying of frozen prefried foods, 1644
effect of oleoresin rosemary, TBHQ and STPP on development of oxidative rancidity in chicken nuggets, 616
extraction from mechanically separated seal meat, 1295
extraction of egg yolk powder: effects on emulsifying properties and protein fraction, 1255
factors affecting catalysis of oxidation by ferritin-containing extract of beef muscle, 356
improvement of stability in beef with dietary vitamin E and C dip treatment, 1489
influence on retrogradation of rice starches, 564
measurement and kinetics of formation of hexanal via oxidation as function of O_2 concentration, 816
methylcellulose films to prevent migration in confectionery products, 504
noninvasive measurement in food using MRI, 811
nutritional evaluation of in fish from temperate Australian waters, 1111
supercritical carbon dioxide conditions affecting extraction from ground beef, 183
vitamins E and C improve stability in ground beef, 194

liposome
effect of NaCl on pro-oxidant activity of copper (II) in phospholipid, 571
inhibition of PC oxidation by porcine plasma, 1038

lipoxygenase
as blanching index for frozen soybeans, 448
measurement of activity in green bean tissue, 719
thermal inactivation of asparagus, 47

liquid
kinetics of drainage from protein stabilized foams, 24

Listeria monocytogenes
control on beef in model spray chilling system, 191
during freezing and frozen storage, 1068
factors contributing to antilisterial effects of raw egg albumen, 1251
growth temperature and action of lysozyme on, 1101
heat resistance in sucrose solutions, 1741
in microwave-ready beef roasts containing antimicrobials, 198
kinetics in presence of antioxidant food additives, 10
response to high hydrostatic pressure, 1404

Lithium chloride
preferred extractant of fish muscle proteins, 315

lobster
phenoloxidase activity in Florida spiny and Western Australian, 154

lung
properties of heat-induced gels from beef protein fraction, 1165

lychee
anthocyanin in skin of, 466

lysozyme
growth temperature and action of on L monocytogenes, 1101

M

magnesium chloride
influence on thermal properties of beef muscle, 180

magnetic resonance (MR)
sugar content of fruit using water peak suppression in, 1091

magnetic resonance imaging (MRI)
noninvasive measurement of lipid and water in food using, 811

maize
aflatoxin and cyclopiazonic acid production by A flavus isolated from, 871

maltotetraose
production using P stutzeri amylase in membrane recycle bioreactor, 1019

marjoram
packaging and storage effects on microbiological quality of dried, 873

marlin, black
thermal transitions of myosin from muscle, 954

mass transfer
computerized model for strain-stress analysis of food undergoing, 1438

maturation
effect of added lactobacilli on composition and texture of cheddar cheese during, 696
lactic acid bacteria relation to cheddar cheese, 1238
sugar and nonvolatile acid composition of persimmon during, 989

maturity
influence on volatile aroma compounds from salmon, 1576
measuring by delayed light emission in muskmelon, 981
mechanical properties and chemical composition of peanuts affected by harvest, 1378
nondestructive evaluation of persimmon by delayed light emission, 985

mayonnaise
factors affecting quality of fish oil, 1298

meat
color and oxidative stability of nitrite-free cured after irradiation, 1450
comparison of rapid methods for isolation and enumeration of C perfringens in, 367
comparison of sampling techniques for microbial analysis of surfaces, 249

mechanics
properties of peanuts affected by harvest date and maturity, 1378

media
B stearothermophilus recovery altered by concentration and formulation of, 1408

membrane
reactor for enzymic deamidation of food proteins, 1725
relationship of loss of functionality and hard-to-cook defect in beans, 590
membrane hybridization Salmonella detection in meat and fish by with DNA probe, 1519

membrane recycle bioreactor
maltotetraose production using P stutzeri amylase in, 1019

menhaden
heat resistance of C botulinum in surimi, 1562

mercaptoethanol
effects on rheology of β-lactoglobulin gels at alkaline pH, 1338

metal
thermal processes for cans compared to retortable plastic containers, 835

methods/methodology
acid requirement for pH modification of processed foods, 973
action of A niger lipase on butteroil emulsions, 1233
alternative hedonic measures, 1
analysis of biogenic amines in canned fish by HPLC, 158
"analysis of shear and thermal history during co-rotating twin-screw extrusion, 518
analysis of volatile flavor components in steamed rangia clam by dynamic headspace sampling and simultaneous distillation and extraction, 327
applications of polarography for assessment of fish freshness, 335
aroma sorption evaluation of aseptic packaging, 1051
assessment of sensory characteristics of meat patties, 1470
candelilla wax emulsion, preparation and stability, 1382
changes in titin and nebulin in bovine muscle revealed by gel electrophoresis, Western blotting and immunofluorescence microscopy, 607
characterization of squid using freshness indicators, 161
chemiluminescent assay for glycerol in wine using flow-injection, 1097
cholesterol oxidation products in raw meat and chicken, 1194
coalescence index of protein-stabilized emulsions, 792
colorimetric assay for free fatty acids in butter using flow-injection and immobilized enzymes, 1229
comparison for determination of nitrate in meats, 1123
comparison for isolation and enumeration of C perfringens in meat, 367
comparison of sampling techniques for microbiological analysis of meat surfaces, 249
computerized model for strain-stress analysis of food undergoing simultaneous heat and mass transfer, 1438
conditions affecting emulsifying properties of egg yolk phosvitin, 1259
conformation of citrus pectin using small amplitude oscillatory rheometry, 1365
cooking affects warmed-over flavor of broiler breast patties, 881
determination of iron binding phenolic groups in foods, 128
determination of metmyoglobin reductase activity in bovine skeletal muscle, 1161
determination of optimal level of lactitol for surimi, 285
determination of sorbic acid in raw beef, 863
determination of sugars and organic acids in cheddar cheese by HPLC, 276
DSC studies of meat protein-alginate mixtures, 175
effect of constituent concentration on rheological properties of corn oil-in-water emulsions, 796
effect of preparation procedures and storage parameters on quality retention of salad-cut lettuce, 60
enzymatic production of low-Phe product from skim milk powder and caseinate, 938
equilibrium isotherm equation to represent moisture sorption on starch, 1106
ESR for monitoring radiation-processed meats containing bone, 1104
estimating cooling process lethality for different cooling j values, 1063
estimation of bacterial quality of cod fillets with disc flotation, 958
evaluation of SDS-PAGE for estimating protein digestibility, 1082
evaluation of odorants in dill seed and herb by aroma extract dilution analysis, 63
extraction and quantification of tocopherol in catfish, 1113

extraction of annatto seed pigment by supercritical carbon dioxide, 1655
extraction of peanut proteins with water by RSM, 1660
factors affecting separation of low-fat flesh from fatty fish by cryoshattering, 1567
fast determination of spatially localized volume fractions in emulsions, 799
feed-back temperature control system for microwave ovens using shielded thermocouple, 550
filter, fourier transform infrared, and areometry for following alcoholic fermentation in wines, 1635
for analysis of TMAO using ferrous sulfate and EDTA, 132
for determination of three flavins in milk by HPLC, 678
for determining air content in meat batters, 1453
fractionation of water-soluble and insoluble components from egg yolk with minimum use of organic solvents, 1537
galacturonate in pectic substances from fruits and vegetables:comparison of anion exchange HPLC with amperometric detection to standard colorimetric procedure, 423
grinding time and pressure developed in beef and pork: effect of temperature and fat, 1171
headspace gas composition and chitin content as measure of R stolonifer growth, 274
heating characteristics of milk constituents in microwave pasteurization system, 931
hexanal formation via lipid oxidation as function of oxygen concentration: measurement and kinetics, 816
2-(hydroxymethyl)-N-nitrosothiazolidine-4-carboxylic acid in smoked meats and bacon and conversion to 2-(hydroxymethyl)-N-nitrosothiazolidine during high-heat cooking, 913
identification of tyrosinase in mushrooms by isoelectric focusing, 93
immobilized peroxidase: potential bioindicator for evaluation of thermal processes, 567
influence of drying on volatile sulfur constituents of caucas, 72
influence of polyphosphate soak and cooking on yield and quality of crab, 657
instrument for nondestructive texture measurement of raw cod fillets, 962
isolation of gellan gum from foods by use of monovalent cations, 1342
isolation of low-MW taste peptides from cheese, 943
juice extraction process and apple cultivar influence on juice properties, 1614
kinetic parameter evaluation with linearly increasing temperature profiles, 1433
lactate dehydrogenase activity in bovine muscle as means of determining heating endpoint, 895
α-lactose monohydrate from ultrafiltered whey permeate in one-step crystallization using EtOH-water mixtures, 777
lipid extraction of egg yolk powder: effects on emulsifying properties and soluble protein fraction, 1255
lipoxygenase as blanching index for frozen soybeans, 448
lithium chloride as preferred extractant of fish muscle proteins, 315
maltotetraose production using P stutzeri amylase in membrane recycle bioreactor, 1019
measurement of lipoxygenase activity in green bean tissue, 719
measurement of residence time distribution of fluid and particles in turbulent flow, 255
measuring muskmelon maturity by delayed light emission, 981
microbiology for monitoring spoilage of dairy products with time-temperature integrators, 1209
microencapsulated iron for food fortification, 1047
microfiltration affinity purification of lactoferrin and IgG from cheese whey, 701
microwave digestion of food for Na analysis by atomic absorption spectrometry, 1412
model for evaluating turbidity in cloudy beverages, 747
modified Gerber test for free oil in mozzarella cheese, 1115
monitoring chemical and microbial changes of cottage cheese using a full-history time-temperature indicator, 402
monitoring freeze-drying by NMR: determination of sublimation endpoint, 1707
multiple standards to define sensory characteristics for descriptive analysis: aspects of concept formation, 838
NIR spectroscopy determination of physical and chemical characteristics in beef, 1493
nondestructive evaluation of persimmon maturity by delayed light emission, 985
noninvasive measurement of lipid and water in food using MRI, 811
optimization of extrusion cooking process for chickpea flour by RSM, 1695
pH effect on thermal transition temperature of collagen, 1203
parametric analysis for freezing of spheroidal or finitely cylindrical objects with volumetric changes, 543
perceived taste intensity and duration of nutritive and non-nutritive sweeteners in water using time-intensity (T-I) evaluations, 535
photo-sensor for determining residence time distributions of particles in thermal processing systems, 1076
predictors of beef tenderness: development and verification, 1130
preservative and temperature effect on growth of Neosartorya fischeri measured by impedance, 1735
process parameter effects on particle residence time in vertical scraped surface heat exchanger, 869
production of citric acid from beet molasses by immobilized cells of A niger, 878
qualitative and quantitative determination of caseins with HPLC, 1415
quality characteristics of chymosin extracts obtained by ultrasound treatment, 406
quality evaluation of fish meat by ^{31}P-NMR, 660
relationship of solubility of whey protein concentrates to thermal properties determined by DSC, 1448
residual avidin activity in cooked egg white assayed with improved sensitivity, 707
retrogradation of rice starches studied by DSC and influence of sugars, NaCl and lipids, 564
RSM in development of rice flour yeast breads: sensory evaluation, 751
Salmonella detection in meat and fish by membrane hybridization with chromogenic/phosphatase/biotin DNA probe, 1519
SEM of carrot stick surface to determine cause of white translucent appearance, 1357
semiconductive trimethylamine gas sensor for detecting fish freshness, 1275
static headspace GC for volatiles in canned salmon, 1271
structure of ovalbumin as revealed by monoclonal antibodies: epitopic changes during heat treatment, 224
sugar and nonvolatile acid composition of persimmons during maturation, 989
sugar content measurement in fruit using water peak suppression in high resolution MR, 1091
sulfite in cellulosics by ion exclusion chromatography with electrochemical detection, 1087
synthesis of cured-meat pigment, 1205
texture of cherries using shear/compression and stone removal forces, 260
texture of raw and canned jicama and chinese water chestnut, 977
thermal conductivity of fresh and dried squid meat by line source thermal conductivity probe, 582
thermal conductivity of gelatinized starches, 773
thermal process lethality variability in conduction-heated foods, 1424
thermal properties of surimi analyzed by DSC, 302
thiamin, riboflavin and niacin retention in cooked cowpeas as affected by kanwa treatment, 592
turbidity of beverages with citrus oil clouding agent, 1024
verification of USDA home-canning recommendations for tomatoes processed at high altitudes, 736
volatile compounds from mesocarp of persimmons, 262 volatile compounds in scrambled eggs, 387
volatiles and sugars of cultivars of sweet potatoes, 714
water associated with whey protein investigated by NMR, 1557

methyl orange
adsorption on starches, 90

methylcellulose
films to prevent lipid migration in confectionery products, 504
sorbic acid and potassium sorbate permeability of edible film: water activity and pH effects, 497

methylesterase
orange juice stabilization by proteic inhibitor of pectin, 1632

metmyoglobin
determination of reductase activity in bovine skeletal muscle, 1161

micelles
hydrolysis of milk fat with lipase in reversed, 234

microbiology
acidification effects on populations during cucumber fermentation, 1353
aciduric, pH-elevating Bacillus which cause noneffervescent spoilage of tomatoes, 1611
action of A. niger lipase on butteroil emulsions, 1233
aflatoxin and cyclopiazonic acid production by A flavus isolated from contaminated maize, 871
alginate and carrageenan immobilization effects on Schiz. pombe activity and stability, 1095
analysis of imitation crab, 164
analysis of milk-sweet potato mixtures fermented with yogurt bacteria, 682
B stearothermophilus recovery altered by media concentration and formulation, 1408
bacteria and volatile compounds associated with ground beef spoilage, 1147
bacterial spoilage profiles to identify irradiated fish, 332
behavior of nonproteolytic C botulinum spores in cooked turkey and modeling lag phase and probability of toxigenesis, 373
blood fraction effects on antibotulinal efficacy of nitrite in beef sausages, 1158
changes in lettuce stored under controlled atmospheres, 1586
characteristics of wheat flour dough using Enterobacter cloacae with and without yeast, 106
chemical detoxification of aflatoxin-containing copra, 733
C botulinum growth and toxigenesis in shelf-stable noodles, 264
C sporogenes and L monocytogenes: survival and inhibition in microwave-ready beef roasts containing antimicrobials, 198
comparison of rapid methods for isolation and enumeration of C perfringens in meat, 367
comparison of sampling techniques for analysis of meat surfaces, 249
control of Salmonella typhimurium, Listeria monocytogenes, and Escherichia coli on beef in model spray chilling system, 191
degradation of aspartame in yogurt, 21
effect of Na lactate on cooked beef during storage, 341
effect of added lactobacilli on composition and texture of cheddar cheese during maturation, 696
effect of gamma irradiation of whole chicken carcasses on bacterial loads and fatty acids, 371
effect of pH and NaCl on heat resistance of bacterial spores, 821
effect of ultrasonication of broiler drumstick skin, 247
estimation of bacterial quality of cod fillets with disc flotation method, 958

factors contributing to antilisterial effects of raw egg albumen, 1251
fat content effects on chicken patties, 1527
fate of L monocytogenes during freezing and frozen storage, 1068
fermentative bacteria in model low salt cucumber juice brine, 462
flora and storage quality of processed lettuce, 459
for monitoring spoilage of dairy products with time-temperature integrators, 1209
freezing effects on pork, 891
germination response of B subtilis to caramelized sugar and asparagine, 1399
growth temperature and action of lysozyme on L monocytogenes, 1101
headspace gas composition and chitin content as measure of R stolonifer growth, 274
heat resistance of C botulinum in menhaden surimi, 1562
heat resistance of S typhimurium and L monocytogenes in sucrose solutions, 1741
heat-shocked lactobacilli for acceleration of cheddar cheese ripening, 948
inhibition of gas production in tofu, 1600
isolation of Y enterocolitica from red meat and milk, 1524
kinetics of growth and inhibition of L monocytogenes in presence of antioxidant food additives, 10
lactic acid bacteria relation to accelerated maturation of cheddar cheese, 1238
lactococcus genus: differential agar medium, 1729
maltotetraose production using P stutzeri amylase in membrane recycle bioreactor, 1019
microorganisms isolated from surimi processing operations, 299
monitoring changes in cottage cheese using full-history time-temperature indicator, 402
of Alaska shore-based surimi production, 291
of precooked, vacuum-packaged beef, 1136
on commercially processed finfish, 1279
orange finisher pulp as substrate for polygalacturonase production by Rhizopus oryzae, 480
packaging and storage effects on quality of dried herbs, 873
pork use in fermented meat spreads, 1185
postmortem changes in chilled round, bled and dressed albacore, 318
preservative and temperature effect on growth of heat-resistant mold, Neosartorya fischeri measured by impedimetric method, 1735
production and evaluation of milk-sweet potato mixtures fermented with yogurt bacteria, 685
production of citric acid from beet molasses by immobilized cells of A niger, 878
production of fish protein hydrolysates with bacterial proteases: yield and nutritional value, 309
production of glucosidase and galactosidase during fungal growth on polygalacturonate, 1749
reduction of heat resistance of N fisheri ascospores by sulfur dioxide, 876
response of L monocytogenes and V parahaemolyticus to high hydrostatic pressure, 1404
Salmonella detection in meat and fish by membrane hybridization with chromogenic/phosphatase/biotin DNA probe, 1519
sensory comparisons of beef treated with Na lactate, 1141
soy protein and oil effects on stability of ground beef, 906
stability of aspartame in fruit preparations used in yogurt, 689
starter culture and time/temperature of storage influences on quality of fermented mutton sausage, 916
storage and bacterial contamination effects on myofibrillar proteins and shear force of beef, 903
temperature, pH and bacterial population of meat as influenced by home freezer failure, 1508
thermal degradation of paralytic shellfish poison, 1572
thermal inactivation kinetics of food-borne yeasts, 6
thermal resistance of egg-associated epidemic strains of S enteritidis, 391
verification of USDA home-canning recommendations for tomatoes processed at high altitudes, 736
viability and performance of yeast in wheat dough, 1690

microencapsulation
of iron for food fortification, 1047

microfiltration
affinity purification of lactoferrin and IgG from cheese whey, 701

microscopy
immunofluorescence: changes in titin and nebulin in beef muscle revealed by, 607
scanning electron: of carrot stick surface to determine cause of white translucent appearance, 1357

microstructure
changes in titin and nebulin in bovine muscle revealed by gel electrophoresis, Western blotting and immunofluorescence microscopy, 607
effect of washing on frozen fish mince, 294
ionic strength and pH effects on yolk granules, 1532
of cassava flour extrudate, 1319
of dairy gels, 1224
of peanut cotyledons after oil cooking, 76
physical properties of air-dried and freeze-dried chicken, 611

microwave
digestion of foods for Na analysis by atomic absorption spectrometry, 1412
feed-back temperature control system for ovens using shielded thermocouple, 550
heating characteristics of milk constituents in pasteurization in, 931
heating effects on stabilities of tocopherols in oils, 1042
inactivation of myrosinase in canola seeds, 1372
sensory and nutritional properties based on wheat-rice-soybean flours baked in, 1699
survival and inhibition of C sporogenes and L monocytogenes in beef roasts containing antimicrobials, 198

migration
methylcellulose films to prevent lipid in confectionery products, 504

milk
aggregation and dissociation of protein complexes in heated reconstituted concentrated skim, 238
calcium in raw and processed skim, and whole, 864
changes in size and composition of protein aggregates on heating of skim, 671
characterization of increase in paleness of -fed veal during storage, 1455
diffuse reflectance profiles of -clotting enzyme preparations, 411
electrochemical quantitative analysis of uric acid in, 594
emulsified fat effects on rheology of acid-induced gels, 920
emulsifying capacity and emulsion stability of protein, 1216
enzymatic production of low-Phe product from skim powder and caseinate, 938
functional and sensory properties of salad dressing containing fermented peanut, 1664
heating characteristics of constituents in microwave pasteurization system, 931
hydrolysis of fat with lipase in reversed micelles, 234 isolation of Yersinia enterocolitica from, 1524
method for determination of three flavins by HPLC, 678
production and evaluation of -sweet potato mixtures fermented with yogurt bacteria, 685
properties of fat emulsions stabilized with fat globule membrane, 1219
proximate, nutritional and microbiological analyses of -sweet potato mixtures fermented with yogurt bacteria, 682
rancid flavor of: relationship of acid degree value, free fatty acids and sensory perception, 394
role of fat globule membrane in autoxidation of fat, 398
sodium caseinate from skim powder by extrusion processing: physicochemical and functional properties, 1552

milk fat globule membrane (MFGM)
properties of milk fat emulsions stabilized with, 1219

milkfat
effect of percent on Ca, Fe and Zn solubility in wheat cereal systems under simulated GI pH, 146

mineral
improving acid production in soy-based yogurt by adding cheese whey and salts, 999

mitochondria
activity and beef muscle color stability, 1476

mixing
native and succinylated sunflower proteins use in bread baking, 992

models/modeling
behavior of C botulinum spores in cooked turkey and lag phase and probability of toxigenesis, 373
blood fraction effects on antibotulinal efficacy of nitrite in beef sausage, 1158
color development during frying: role of amino acids and sugars, 1711
comparison for compressibility of breads and plastic foams, 756
comparison of temporal perception of fruitiness in systems sweetened with aspartame, an aspartame + acesulfame K blend, or sucrose, 823
control of S typhimurium, L monocytogenes and E coli on beef in spray chilling system, 191
fermentative bacteria in low salt cucumber juice brine, 462
for evaluating turbidity in cloudy beverages, 747
for produce respiration in modified atmosphere based on principles of enzyme kinetics, 1580
for strain-stress analysis of food undergoing heat and mass transfer, 1438
freezing time for small finite cylindrical shaped foodstuff, 1072
growth rate dispersion effects on lactose crystal size distributions from a continuous cooling crystallizer, 848
nutritional evaluation with animals of cottage cheese fortified with calcium and guar gum, 692
parametric analysis for freezing of spheroidal or finitely cylindrical objects with volumetric changes, 543
plasticizing effect of water on thermal behavior and crystallization of amorphous food, 38
retention and solubility of soy and corn germ proteins, 455
temperature effect on binding of volatile flavor compounds to soy protein, 802
thermal conductivity of gelatinized starches, 773
thermal sterilization of conduction-heated foods in plastic cylindrical cans using convective boundary condition, 827
water activity and temperature effects on browning of amino acids in squid, 665

moisture
aspartame degradation kinetics as affected by pH in intermediate and low foods, 17

effect on functional properties, trypsin inhibitor and hemagglutinating activities of bean high starch fractions, 443
effect on volatiles in peanuts, 579
equilibrium isotherm equations to represent sorption on starch, 1106
in goat meat, 1191
sorption hysteresis in kudzu starch and sweet potato starch, 125

molasses
production of citric acid from beet by A niger, 878

mold
preservative and temperature effect on growth of Neosartorya fischeri measured by impedimetric method, 1735

molecular biology
Salmonella detection in meat and fish by membrane hybridization with chromogenic/phosphatase/biotin DNA probe, 1519

molecular weight
effect on glass transitions in carbohydrates, 1676
isolation of low-taste peptides from cheese, 943
pectin influence on volatiles and sensory characteristics of strawberry jam, 1621

muscle
calcium and time postmortem effects on functional and textural characteristics of pork, 632
changes in titin and nebulin in beef revealed by gel electrophoresis, Western blotting and immunofluorescence microscopy, 607
collagenase effect on thermal denaturation of collagen, 1497
determination of metmyoglobin reductase activity in bovine skeletal, 1161
effect of pressure treatment on actomyosin ATPases from flying fish and sardine, 338
factors affecting catalysis of lipid oxidation by ferritin-containing extract of beef, 356
heat-induced gelation of myosin from chicken at high ionic strength and low pH, 884
improvement of color and lipid stability in beef with dietary vitamin E and C dip treatment, 1489
influence of sodium, potassium and magnesium chloride on thermal properties of beef, 180
lactate dehydrogenase activity in beef as means of determining heating endpoint, 895
lithium chloride as preferred extractant of fish proteins, 315
mitochondrial activity and beef color stability, 1476
moisture, fat and cholesterol in goat meat, 1191
postmortem changes in ATP, creatine phosphate and lactate in sardine, 151
properties of heat-induced gels from beef skeletal protein fraction, 1165
protein extractability and thermally induced gelation properties of myofibrils from chicken, 210
role of light chains in heat-induced gelation of skeletal myosin, 855
salt-induced, low-temperature setting of antarctic fish proteins, 251
short thermal treatment effect on carp: mechanisms in rigor mortis acceleration by Arai treatment, 653
thermal denaturation in fish protein during gelling: effect of spawning condition, 281
thermal transitions of myosin from black marlin, 954

mushroom
identification of tyrosinase in by IEF, 93
muskmelon measuring maturity by delayed light emission, 981
sugar content measurement in using water peak suppression in MR, 1091

mutton
starter culture and time/temperature of storage influences on quality of sausage, 916

myofibril
protein extractability and thermally induced gelation properties of from chicken muscle, 210
short thermal treatment effect on carp: mechanisms in rigor mortis acceleration by Arai treatment, 653
storage and bacterial contamination effects on proteins and shear force of beef, 903

myosin
heat-induced gelation of from chicken muscles at high ionic strength and low pH, 884
role of light chains in heat-induced gelation of skeletal muscle, 855
thermal transitions of from black marlin muscle, 954
myrosinase microwave inactivation of in canola seeds, 1372

N

naringin
removal from grapefruit juice with naringinase, 31

naringinase
limonin and naringin removal from grapefruit juice with, 31

nebulin
changes in bovine muscle revealed by gel electrophoresis, Western blotting and immunofluorescence microscopy, 607

Neosartorya fisheri
preservative and temperature effect on growth of measured by impedimetric method, 1735
reduction of heat resistance by sulfur dioxide, 876

niacin
retention in cowpeas affected by kanwa treatment, 592

nitrate
analysis in meats: comparison of methods, 1123

nitrite
blood fraction effects on antibotulinal efficacy of in beef sausage, 1158
color and oxidative stability of -free cured meat after irradiation, 1450

nitrogen
effect of CPIC on constituents of potatoes, 532
storage of oranges pretreated with in air, 469

nitrosothiazolidine (NTHZ)
2-(hydroxymethyl)-N-: HMNTCA conversion to during high-heat cooking, 913
in frankfurters containing pollock, 1108

noodles
C botulinum growth and toxigenesis in shelf-stable, 264

nuclear magnetic resonance (NMR)
monitoring freeze-drying by: determination of sublimation endpoint, 1707
quality evaluation of fish meat by ^{31}P-, 660
water associated with whey protein investigated by, 1557

nucleotide
adenine degradation in chill-stored fresh fish, 1267

nutrition
evaluation with animal model of cottage cheese fortified with calcium and guar gum, 692
isolation and structure of vitamin B_6 conjugate in rice bran, 268
of chickpea isolates, 726
of cookies based on wheat-rice-soybean flours baked in microwave oven, 1699
of lipids in fish from temperate Australian waters, 1111
of milk-sweet potato mixtures fermented with yogurt bacteria, 682
production of fish protein hydrolysates with bacterial proteases, 309
vitamin E constituents of weaning foods from germinated cereals and legumes, 270

O

oatmeal
rheological changes in suspensions during heat treatment, 1685

odorants
evaluation in dill seed and herb by aroma extract dilution analysis, 6

oil
ascorbyl palmitate efficacy in enhancing accelerated storage stability of canola, 1651
effect of constituent concentration on rheology of corn emulsions, 796
effect of propylene glycol alginate and xanthan gum on stability of emulsions, 513
effect on chemical, physical and microbial stability of ground beef, 906
factors affecting quality of fish mayonnaise, 1298
Gerber test for in mozzarella cheese, 1115
hexanal formation via lipid oxidation as function of O_2 concentration: measurement and kinetics, 816
interactions among components during adsorption: effects on carotenoids and peroxides, 1648
microstructure of peanut cotyledons after cooking, 76
microwave heating effects on stabilities of tocopherols in, 1042
replacement of fat with plant in lean ground beef patties, 861
tocopherol effects on chlorophyll photosensitized oxidation of soybean, 807
turbidity of beverages with citrus clouding agent, 1024

oleoresin
effects of rosemary on development of oxidative rancidity in chicken nuggets, 616
oxidative stability of beef processed with rosemary, 597

orange
ascorbic acid retention in juice stored under simulated consumer home conditions, 867
calcium supplementation and processing effects on juice quality, 1369
changes during storage of alcoholic juice beverage, 475
finisher pulp as substrate for polygalacturonase by R oryzae, 480
inactivation of pectinesterase in juice by supercritical CO_2, 743
irradiation influence on yield and quality of juice, 1628
juice stabilization by proteic inhibitor of pectin methylesterase, 1632
RO concentration of juice essence, 1027
storage of pretreated with N, CO_2 and acetaldehyde in air, 469
supercritical CO_2 effects on quality of juice, 1030
viscosity reduction and reformation of structure in concentrate as affected by homogenization within taste evaporators, 1360

osmosis
concentration of green beans prior to freezing, 1008

ovalbumin
structure revealed by monoclonal antibodies: epitopic changes during heat treatment, 224

ovens
feed-back temperature control system for microwaves using shielded thermocouple, 550

oxidation
cholesterol products in raw meat and chicken, 1194
destructive effect of aspartame on ascorbic acid in Cu-catalyzed solutions, 14
effect of NaCl on activity of copper (II) in peroxidation of phospholipid liposomes, 571
effect of oleoresin rosemary, TBHQ and STPP on development of rancidity in chicken nuggets, 616
factors affecting catalysis of lipid by ferritin-containing extract of beef muscle, 356
inhibition of PC liposome by porcine plasma, 1038
inhibition of rancidity in ground pork by carnosine, 1179
measurement and kinetics of formation of hexanal via lipid, 816
of ground beef affected by source and storage, 899
plasma cholesterol products (oxysterols) in human subjects fed a meal rich in oxysterols, 843
processing ingredients affecting stability of beef roasts, 1480
products from cholesterol in fast food french fried potatoes, 716
stability of beef processed with oleoresin rosemary, TBHQ and STPP, 597
stability of nitrite-free cured meat after irradiation, 1450
stability of pork: effect of light and salt, 1182
tocopherol effects on chlorophyll in soybean oil, 807

oxygen
effect of exposure to on quality of strawberries, 50
measurement and kinetics of formation of hexanal via lipid oxidation as function of concentration of, 816

oxysterol
plasma cholesterol oxidation products in human subjects fed a meal rich in, 843

oysters
effect of heat processing on quality of, 1292

P

packaging
STP and SAsMP as inhibitors of off-flavor development in turkey, 1529
aroma sorption evaluation of aseptic, 1051
can material influence on performance of rotating cookers, 1718
chemical and microbiological analysis of vacuum-packed imitation crab, 164
effect on color and physical characteristics of ground pork in frozen storage, 363
effect on microbiological quality of dried herbs, 873
effect on physical/sensory characteristics of pork in frozen storage, 627
effect on quality of freeze-dried strawberries, 1388
heat processing of high- and low-acid foods in semirigid containers, 1714
internal pressure profile in semi-rigid during thermal processing, 831
microbial characteristics of restructured beef, 1136
quality enhancement of chum salmon in retort pouches, 1282
storage potential of tomatoes harvested at breaker stage using modified atmosphere, 55
thermal processes for metal cans compared to retortable plastic containers, 835

palatability
aging effects on beef from three quality grades, 601
paleness characterization of increase in of milk-fed veal during refrigerated storage, 1455

palm
replacement of fat with oil in lean ground beef patties, 861

palmitate
efficacy in enhancing accelerated storage stability of canola oil, 1651

papaya
ripeness and tissue depth effects on heat inactivation of ethylene-forming enzyme, 996

paralytic shellfish poison
thermal degradation of, 1572

particle residence time
scraped surface heat exchanger orientation influence on distributions, 1446

particle size
DDGS: effects on volume and acceptability of baked potatoes, 1323
effects on diffuse reflectance of sucrose-caramel admixture, 1117
preblending hot- and cold-boned pork at different, 1511

pasta
color influenced by wheat type and additives, 488

pasteurization
effect of heat processing on quality of oysters, 1292
heating characteristics of milk constituents in microwave system, 931

peaches
fruit content influence on gel strength of jam, 1384
vacuum infusion of citrus pectinmethylesterase and calcium effects on firmness of, 739

peanut
characterization of irradiated kernels stored under ambient and frozen conditions, 1375
extraction of proteins with water by RSM, 1660
functional and sensory properties of salad dressing containing fermented milk, 1664
mechanical properties and chemical composition affected by harvest date and maturity, 1378
microstructure of cotyledons after oil cooking, 76
moisture/size, relation to freeze damage and effect of drying temperature on volatiles, 579
replacement of fat with oil in lean ground beef patties, 861

pectin
concentration, molecular weight and degree of esterification: influence on volatile composition and sensory characteristics of strawberry jam, 1621
conformation of citrus using small amplitude oscillatory rheometry, 1365
galacturonate from fruits and vegetables:comparison of HPLC with amperometric detection to colorimetry, 423
orange juice stabilization by proteic inhibitor of methylesterase, 1632

pectinesterase
inactivation in orange juice by supercritical CO_2, 743
supercritical CO_2 effects on quality of orange juice, 1030

pectinmethylesterase
vacuum infusion of: effects on firmness of peaches, 739

Pediococcus pentosauceus
pork use in fermented meat spreads, 1185

peeling
bisulfite alternatives in processing potatoes, 257
control of carrot surface discoloration caused by abrasion, 416

peptides
isolation of low-MW from cheese, 943

peptidoglutaminase
ultrafiltration for recovery and reuse of in protein deamidation, 1731

perch
Ocean (Sebastes marinus): variability of salt absorption by brine dipped fillets, 648
preprocessing ice storage effects on functional properties of mince protein, 965

permeability
of sorbic acid and potassium sorbate in edible methylcellulose-palmitic acid film: water activity and pH effects, 497

peroxidase
bioindicator for evaluation of thermal processes, 567
horseradish: thermostability of, 574
inactivation and regeneration of activity in vegetable extracts treated with antioxidants, 68
thermal inactivation of asparagus, 47

peroxidation
effect of NaCl on pro-oxidant activity of copper (II) in phospholipid liposomes, 571

peroxide
interactions among oil components during adsorption: effects on, 1648

persimmon
nondestructive evaluation of maturity by delayed light emission, 985
sugar and nonvolatile acid composition of during maturation, 989
volatile compounds from mesocarp of, 262

pH
acid requirement for modification of processed foods, 973
aspartame degradation kinetics as affected by in food systems, 17
effect of Zn concentration, Ca source, percent milkfat and homogenization on Ca, Fe and Zn solubility in wheat cereal systems under simulated, 146
effect on calcium inhibition of softening of cucumber, 730
effect on composition and microstructure of yolk granules, 1532
effect on sorbic acid and potassium sorbate permeability of edible methylcellulose-palmitic acid film, 497
effect on thermal behavior of whey proteins, 1119
effect on thermal transition temperature of collagen, 1203
effect on heat resistance of bacterial spores, 821
elevating Bacillus which cause noneffervescent spoilage of tomatoes, 1611

extrusion texturization of acid and alkali soy proteins, 1002
heat-induced gelation of myosin from chicken muscle at low, 884
kinetic study of aspartame degradation in neutral range, 1671
mercaptoethanol, N-ethylmaleimide, propylene glycol and urea effects on rheology of -lactoglobulin gels at alkaline, 1338
of meat as influenced by home freezer failure, 1508

phase transition
analysis and computer simulation of starch-water interactions during, 121
of amorphous sucrose and frozen sucrose solutions, 266

phenol
acid contribution to taste of corn germ protein flour products, 1308
determination of iron binding groups in foods, 128
volatile compounds in aged Italian cheese flavors, 1241

phenoloxidase
activity from Florida spiny and Western Australian lobster, 154

phenylalanine
enzymatic production of low-product from skim milk powder and caseinate, 938

phosphatase
Salmonella detection in meat and fish by membrane hybridization with DNA probe, 1519

phosphatidylcholine (PC)
inhibition of liposome oxidation by porcine plasma, 1038

phospholipid
effect of NaCl on pro-oxidant activity of copper (II) in liposomes, 571

phosvitin
conditions affecting emulsifying properties of egg yolk, 1259

photo-sensor
methodology for determining residence time distributions of particles in thermal processing systems, 1076

photosensitization
tocopherol effects on chlorophyll oxidation of soybean oil, 807

phytase
phytate hydrolysis by in cereals: effects on estimation of iron availability, 1330

phytate
hydrolysis by phytase in cereals: effects on estimation of iron availability, 1330

pickles
fermentative bacteria in model low salt cucumber juice brine, 462

pigment
anthocyanin in skin of lychee fruit, 466
encapsulation of pre-formed cooked cured-meat, 1500
extraction from mechanically separated seal meat, 1295
extraction of annatto seed by supercritical carbon dioxide, 1655
heat stability of sunflower hull anthocyanin, 553
stability improvement in beef by ascorbic acid application, 857
supercritical carbon dioxide extraction of annatto, 80
synthesis of cured-meat, 1205
vitamins E and C improve stability in ground beef, 194

plasma
effect of ionizing radiation on sterility and functional qualities of dehydrated blood, 168
inhibition of PC liposome oxidation by porcine, 1038

plastic
comparison of models for compressibility of foams, 756
thermal processes for metal cans compared to retortable containers, 835
thermal sterilization of conduction-heated foods in cylindrical cans using convective boundary conditions, 827

plasticizing
effect of water on thermal behavior and crystallization of amorphous food models, 38

poison
thermal degradation of paralytic shellfish, 1572

polarography
application for assessment of fish freshness, 335

pollock
NTHZ and NTHZC in frankfurters containing, 1108

polyethylene
absorption of citrus flavor volatiles by low density, 35
sorption of flavor compounds by low density film, 1421

polygalacturonase
orange finisher pulp as substrate for production by R oryzae, 480

polygalacturonate
production of glucosidase and galactosidase during fungal growth on, 1749

polyphosphate
influence of soak and cooking on yield and quality of crab, 657

polysaccharide
nonstarch fractions of carrots, 1593

pork
as source of Zn and effect of added cysteine on Zn bioavailability, 1505
assessment of Na lactate addition to sausage, 220
calcium and time postmortem effects on functional and textural characteristics of, 632
composition, cooking loss, color and compression of with corn germ meals, 216
effect of packaging on color and physical characteristics of ground in frozen storage, 363
effect of packaging on physical/sensory characteristics in frozen storage, 627
freezing effects on quality, bacteriology and retail-case life of, 891
grinding time and pressure developed in: effect of temperature and fat, 1171
inhibition of PC liposome oxidation by plasma, 1038
inhibition of oxidative rancidity in ground by carnosine, 1179
isolation of Yersinia enterocolitica from, 1524
oxidative stability of: effect of light and salt, 1182
preblending hot- and cold-boned at different particle sizes, 1511
processing characteristics as influenced by pST administration to growing finishing swine, 859
sodium lactate effects on shelf-life, sensory, and physical characteristics of sausage, 1176
use in fermented meat spreads, 1185
volatile alkylphenols and thiophenol in, 1197

potassium chloride
influence on thermal properties of beef muscle, 180

potassium sorbate
permeability of edible methylcellulose-palmitic acid film: water activity and pH effects, 497

potatoes
bisulfite alternatives in processing abrasion-peeled, 257
color development in model system during frying: role of amino acids and sugars, 1711
DDGS: particle size effects on volume and acceptability of baked, 1323
effect of CPIC on nitrogenous constituents of, 532
quantification of 5α-cholestane-3β,5,6β-triol and other cholesterol oxidation in fast food french fries, 716
sweet: chemical, physical and sensory stabilities of, 710; moisture sorption hysteresis in starch, 125; production and evaluation of -milk mixtures fermented with yogurt bacteria, 685; proximate, nutritional and microbiological analyses of -milk mixtures fermented with yogurt bacteria, 682; volatiles and sugars of cultivars of, 714
thermal conductivity of between 50 and 100°C, 586

pouches
quality enhancement of chum salmon in retort, 1282

powder
lipid extraction of egg yolk: effects on emulsifying properties and protein fraction, 1255
sodium caseinate from skim milk by extrusion processing: physicochemical and functional properties, 1552

preference
alternative hedonic measures, 1

preservative
effect on growth of Neosartorya fischeri measured by impedimetric method, 1735

pressure
developed in beef and pork: effect of temperature and fat, 1171
effect of treatment on actomyosin ATPases from flying fish and sardine muscles, 338
internal profile in semi-rigid food packages during thermal processing in steam/air, 831
response of L monocytogenes and V parahaemolyticus to high hydrostatic, 1404

probability
of toxigenesis of C botulinum in cooked turkey, 373

processing
acid requirement for pH modification of foods, 973
bisulfite alternatives in abrasion-peeled potatoes, 257
characteristics of pork as influenced by pST administration to growing finishing swine, 859
chlorophyll stability during aseptic, 1059
effect of extrusion conditions on sensory properties of corn meal extrudates, 84
effect of steam/air mixtures on convection heating product in steritort, 27
effect on orange juice quality, 1369
effect on particle residence time in vertical scraped surface heat exchanger, 869

effect on quality of freeze-dried strawberries, 1388
effect on quality of oysters, 1292
enzyme inactivation improves stability of self-rising corn meals, 494
ESR for monitoring radiated meats containing bone, 1104
ethylene absorbent to maintain quality of fruits and vegetables, 1589
ice storage effects on functional properties of fish mince protein, 965
ingredients affecting oxidative and textural stability of beef roasts, 1480
juice extraction influence on juice properties, 1614
microbial flora and storage quality of lettuce, 459
microbiological evaluation of Alaska shore-based surimi production, 291
microorganisms isolated from surimi operations, 299
microorganisms on commercial finfish, 1279
of high- and low-acid foods in semirigid containers, 1714
of legume: effects on dietary fiber, 1350
optimization of extrusion cooking for chickpea flour by RSM, 1695
phase transitions of amorphous sucrose and frozen sucrose solutions, 266
sodium caseinate from skim milk powder by extrusion: physicochemical and functional properties, 1552
thermal: denaturation in fish muscle proteins during gelling: effect of spawning condition, 281; for metal cans compared to retortable plastic containers, 835; immobilized peroxidase as bioindicator of, 667; inactivation kinetics of food-borne yeasts, 6; internal pressure profile in semi-rigid food packages during, 831; lethality variability in conduction-heated foods, 1424; of cowpea slurries, 1302; photosensor methodology for determining residence time distributions of particles in, 1076; sterilization of conduction-heated foods in plastic cylindrical cans using convective boundary condition, 827; texture of raw and canned jicama and chinese water chestnut, 977

produce
model for respiration in modified atmosphere based on principles of enzyme kinetics, 1580

propanediol, 3-chloro-1,2-
derived amino alcohol protein hydrolysates, 136
derived amino acids in protein hydrolysates, 139

propylene glycol
effect of alginate on stability of O/W emulsions, 513
effect on rheology of B-lactoglobulin gels at alkaline pH, 1338

protease
production of fish protein hydrolysates with: yield and nutritional value, 309
purification and characterization from digestive tract of grass shrimp, 322

proteic inhibitor
orange juice stabilization by, 1632

protein
aggregation and dissociation of milk complexes in heated reconstituted concentrated skim milks, 238
changes in gelling behavior of whey isolate during storage, 782
changes in size and composition of aggregates on heating skim milk, 671
chickpea isolates: physicochemical, functional and nutritional characterization, 726
3-chloro-1,2-propanediol derived amino acids in hydrolysates, 139
3-chloro-1,2-propanediol derived amino alcohol in hydrolysates, 136
coalescence index of stabilized emulsions, 792
digestibility of dehydrated protein extract from poultry bone residue, 1751
DSC studies of meat alginate mixtures, 175
effect of anions on deamidation of soy, 452
effect of lipid extraction of egg yolk powder on, 1255
effect of pH and calcium on thermal behavior of whey, 1119
emulsifying capacity and emulsion stability of milk and corn germ flour, 1216
evaluation of SDS-PAGE for estimating digestibility, 1082
extractability of myofibrils from chicken muscle, 210
extraction of peanut with water by RSM, 1660
extrudates from starch fractions of navy and pinto beans and corn meal blended with legume fractions, 431
extrusion texturization of acid and alkali soy, 1002
factors influencing whey gel rheology: dialysis and calcium chelation, 789
high temperature extrusion effects on solubility and distribution in navy and pinto beans, 1013
impact of soy isolates on rancidity development in cooked, refrigerated beef system, 188
improving acid production in soy-based yogurt by adding cheese whey and mineral salts, 999
influence of starch granule-associated on cooked rice stickiness, 1327
kinetics of liquid drainage from stabilized foams, 24
lithium chloride as preferred extractant of fish muscle, 315
membrane reactor for deamidation of food, 1725
native and succinylated sunflower use in bread baking, 992
phenolic acid contribution to taste of corn germ flour products, 1308
prediction of emulsion instability from composition and physicochemical properties of, 116
preprocessing ice storage effects on functional properties of fish mince, 965
production of fish hydrolysates with bacterial proteases: yield and nutritional value, 309
properties of heat-induced gels from beef skeletal, heart, lung and spleen, 1165
relationship of absorptive and interfacial behavior of to emulsifying properties, 253
relationship of solubility of whey concentrates to thermal properties determined by DSC, 1448
retention and solubility of soy and corn germ in model systems, 455
salt effects on stability of whey isolate foams, 588
salt-induced, low-temperature setting of antarctic fish muscle, 251
SDS and sulfite improve properties of soy concentrates, 113
soy effects on chemical, physical and microbial stability of ground beef, 906
storage and bacterial contamination effects on myofibrils of beef, 903
supplementation effects on extruded cornmeal snack quality, 760
temperature effect on binding of volatile flavor compounds to soy in model systems, 802
tepary bean flour, albumin and globulin fractions compared with soy isolate, 1316
thermal denaturation in fish muscle during gelling: effect of spawning condition, 281
ultrafiltration for recovery and reuse of peptidoglutaminase in deamidation of, 1731
water associated with whey investigated by NMR, 1557

Pseudomonas stutzeri
maltotetraose production using amylase in membrane recycle bioreactor, 1019

puffing
effects on functional properties of Amaranthus paniculatas seed flour, 1121

purification
of proteases from digestive tract of grass shrimp, 322

Q

quality
calcium sulfate concentration influence on tofu, 1604
calcium supplementation and processing effects on orange juice, 1369
chitosan coating effect on strawberries, 1618
effect of exposure to oxygen and carbon dioxide on strawberries, 50
effect of heat processing on oysters, 1292
effect of ionizing radiation on dehydrated blood plasma, 168
effect of preparation procedures and storage parameters on salad-cut lettuce, 60
enhancement of chum salmon in retort pouches, 1282
estimation of cod fillets with disc flotation, 958
ethylene absorbent to maintain processed fruits and vegetables, 1589
evaluation of fish meat by NMR, 660
factors affecting fish oil mayonnaise, 1298
fat content effects on chicken patties, 1527
freezing effects on pork, 891
hot-fat trimming and electrical stimulation effects on beef, 1484
influence of feeding regimen on beef, 1102
influence of polyphosphate soak and cooking on crab, 657
irradiation influence on fruit juice, 1628
of brown rice as influenced by irradiation, variety and storage, 96
of chymosin extracts obtained by ultrasound treatment, 406
of processed lettuce, 459
of tofu affected by soybean and soymilk characteristics: glucono-delta-lactone coagulant, 109
packaging and storage effects on dried herbs, 873
processing, packaging, and storage effects on freeze-dried strawberries, 1388
protein and fiber supplementation effects on extruded cornmeal snack, 760
rigor condition, tumbling and salt level influence on characteristics of ham, 1514
starter culture and time/temperature of storage influences on fermented mutton sausage, 916
supercritical CO_2 effects on orange juice, 1030
texture of meat patties: correlation of instrumental and sensory attributes, 1465

R

radiation
effect on sterility and functional qualities of dehydrated blood plasma, 168
ESR for monitoring processed meats containing bone, 110

rancidity
effect of oleoresin rosemary, TBHQ and STPP on development in chicken nuggets, 616
impact of soy protein isolates on development in cooked, refrigerated beef system, 188
inhibition of oxidation in ground pork by carnosine, 1179
of milk: relationship of acid degree value, free fatty acids, and sensory perception, 394

reductase
determination of metmyoglobin activity in bovine skeletal muscle, 1161

reflectance
particle size effects on sucrose-caramel admixture, 1117
profiles of milk-clotting enzyme preparations, 411

residence time
distribution: of fluid and particles in turbulent flow, 255
photo-sensor methodology for determining distribution of particles in thermal processing, 1076
process parameter effects on in vertical scraped surface heat exchanger, 869

resistance
effect of pH and NaCl on bacterial spores, 821
reduction of N fisheri by sulfur dioxide, 876

respiration
model for produce in modified atmosphere based on enzyme kinetics, 1580

response surface methodology (RSM)
extraction of peanut proteins with water by, 1660
in development of rice flour yeast breads: sensory evaluation, 751
optimization of extrusion cooking process for chickpea flour by, 1695

retailing
assessment of Na lactate addition to fresh pork sausage, 220

retort
quality enhancement of chum salmon in pouches, 1282
thermal processes for metal cans compared to plastic containers, 835

retrogradation
of rice starches studied by DSC and influence of sugars, NaCl and lipids, 564

reverse osmosis (RO)
concentration of orange juice essence, 1027
in apple juice concentration, 484

rheology
axial compression properties of kamaboko, 1287
changes in oatmeal suspensions during heat treatment, 1685
effect of added lactobacilli on composition and texture of cheddar cheese during maturation, 696
effect of constituent concentration on corn oil-in-water emulsions, 796
effect of propylene glycol alginate and xanthan gum on stability of O/W emulsions, 513
emulsified milkfat effects on acid-induced milk gels, 920
factors influencing whey protein gel: dialysis and calcium chelation, 789
gel-forming characteristics and properties of kefiran, 1017
mercaptoethanol, N-ethylmaleimide, propylene glycol and urea effects on B-lactoglobulin gels, 1338
of heat-induced gels from egg albumen subjected to freeze-thaw, 764
of sol-gel thermal transition in cowpea flour and starch slurry, 1744
of wiener-type products substituted with wheat gluten, 228

rheometry
conformation of citrus pectin using small amplitude oscillatory, 1365

Rhizopus
oryzae: orange finisher pulp as substrate for polygalacturonase by, 480
stolonifer: headspace gas composition and chitin content as measure of growth of, 274

riboflavin
retention in cowpeas affected by kanwa treatment, 592

rice
cooking quality influenced by irradiation, variety and storage, 96
influence of starch granule-associated protein on stickiness, 1327
isolation and structure of vitamin B_6 conjugate in bran, 268
properties of ground beef mixtures, 1154
retrogradation of starches studied by DSC and influence of sugar, NaCl and lipid, 564
RSM in development of flour yeast breads: sensory evaluation, 751
sensory and nutritional properties based on flour baked in microwave, 1699

rigor
influence on physical, chemical and quality characteristics of ham, 1514
mortis: short thermal treatment effect on carp: mechanisms in acceleration of by Arai treatment, 653

ripeness
effects on heat inactivation of papaya ethylene-forming enzyme, 996
ripening heat-shocked lactobacilli for acceleration of cheddar cheese, 948

rockfish
antioxidants to preserve color, 1564

rosemary
effects of oleoresin on development of oxidative rancidity in chicken nuggets, 616
oxidative stability of beef processed with, 597

RSM
emulsifying capacity and emulsion stability of milk proteins and corn germ protein flour, 1216

S

salad dressing
effect of propylene glycol alginate and xanthan gum on stability of O/W emulsions, 513; functional and sensory properties of containing fermented peanut milk, 1664

salmon (Oncorhynchus keta)
influence of maturity on volatile aroma compounds from, 1576; static headspace GC method for volatiles in canned, 1271; quality enhancement in retort pouches, 1282

Salmonella
detection in meat and fish by membrane hybridization with DNA probe, 1519
enteritidis: thermal resistance of egg-associated epidemic strains of, 391
typhimurium: control on beef in model spray chilling system, 191; heat resistance in sucrose solutions, 1741

salt
effect on TBA numbers in ground beef, 172
effect on oxidative stability of pork, 1182
effects on stability of whey protein isolate foams, 588
fermentative bacteria in cucumber juice brine, 462
improving acid production in soy-based yogurt by adding cheese whey proteins and mineral, 999
induced, low-temperature setting of antarctic fish muscle proteins, 251
influence on characteristics of cheese analogs from calcium caseinate, 1542
influence on physical, chemical and quality characteristics of ham, 1514
variability of absorption by brine dipped fillets of cod, flounder and perch, 648

salting
NaCl concentration in cheese for different volume ratios of brine and solid during, 1548

sarcoplasmic reticulum
short thermal treatment effect on carp: mechanisms in rigor mortis acceleration by Arai treatment, 653

sardine
effect of pressure treatment on actomyosin ATPases from muscle, 338
postmortem changes in ATP, creatine phosphate and lactate in muscle, 151

sauce, spaghetti
iron in: effect of continued use of iron cookware, 584

sausage
assessment of Na lactate addition to pork, 220
blood fraction effects on antibotulinal efficacy of nitrite in beef, 1158
evaluation of partially defatted chopped beef in fermented beef snack, 348
objective/subjective assessment of Australian, 636
sodium lactate effects on shelf-life, sensory, and physical characteristics of pork, 1176
starter culture and time/temperature of storage influences on quality of fermented mutton, 916

Schizosaccharomyces pombe
alginate and carrageenan immobilization effects on activity and stability, 1095

seafood
adenine nucleotide degradation in chill-stored fresh fish, 1267
analysis of biogenic amines in canned fish by HPLC, 158
analysis of volatile flavor components in steamed clam by dynamic headspace sampling and simultaneous distillation and extraction, 327
antioxidants to preserve rockfish color, 1564
applications of polarography for assessment of fish freshness, 335
axial compression properties of kamaboko, 1287
bacterial spoilage profiles to identify irradiated fish, 332
characterization of squid using freshness indicators, 161
chemical and microbiological analysis of vacuum-packed, pasteurized flaked imitation crabmeat, 164
color stability of trout fillets during frozen storage, 969
determination of optimal level of lactitol for surimi, 285
effect of heat processing on quality of oysters, 1292
effect of pressure treatment on actomyosin ATPases from flying fish and sardine muscles, 338
effect of washing on texture and microstructure of frozen fish mince, 294
estimation of bacterial quality of cod fillets with disc flotation method, 958
extraction and quantification of tocopherol in catfish, 1113
factors affecting separation of low-fat flesh from fatty fish by cryoshattering, 1567
heat resistance of C botulinum in menhaden surimi, 1562
influence of maturity on volatile aroma compounds from salmon, 1576
influence of polyphosphate soak and cooking on yield and quality of crab, 657
instrument for nondestructive texture measurement of raw cod fillets, 962
isolation and characterization of antioxidant from shrimp, 143

lithium chloride as preferred extractant of fish muscle proteins, 315
microbiological evaluation of Alaska shore-based surimi production, 291
microorganisms isolated from surimi processing operations, 299
microorganisms on commercially processed finfish, 1279
N-nitrosothiazolidine and carboxylic acid in frankfurters containing pollock, 1108
nutritional evaluation of lipids in fish from temperate Australian waters, 1111
phenoloxidase activity from Florida spiny and Western Australian lobster, 154
postmortem changes in ATP, creatine phosphate and lactate in sardine muscle, 151
postmortem changes in chilled round, bled and dressed albacore, 318
preprocessing ice storage effects on functional properties of fish mince protein, 965
production of fish protein hydrolysates with bacterial proteases: yield and nutritional value, 309
purification and characterization of proteases from digestive tract of grass shrimp, 322
quality enhancement of chum salmon in retort pouches, 1282
quality evaluation of fish meat by NMR, 660
Salmonella detection in by membrane hybridization with DNA probe, 1519
salt-induced, low-temperature setting of antarctic fish muscle proteins, 251
semiconductive trimethylamine gas sensor for detecting fish freshness, 1275
short thermal treatment effect on carp myofibril and SR: mechanisms in rigor mortis acceleration by Arai treatment, 653
static headspace GC method for volatiles in canned salmon, 1271
thermal conductivity of fresh and dried squid meat by line source thermal conductivity probe, 582
thermal degradation of paralytic shellfish poison, 1572
thermal denaturation in fish muscle proteins during gelling: effect of spawning condition, 281
thermal properties of surimi analyzed by DSC, 302
thermal transitions of myosin from black marlin muscle, 954
variability of salt absorption by brine dipped fillets of cod, flounder and perch, 648
water activity and temperature effects on browning of amino acids in squid and model system, 665
water binding and ingredient dispersion pattern effects on surimi gel texture, 1263

seal
lipid and pigment extraction from mechanically separated meat, 1295

sensor
trimethylamine gas for detecting fish freshness, 1275

sensory evaluation
acceleration of tenderization/inhibition of warmed-over flavor by $CaCl_2$ antioxidant infusion into lamb carcasses, 359
alternative hedonic measures, 1 ascorbyl palmitate efficacy in enhancing accelerated storage stability of canola oil, 1651
assessment of meat patties, 1470
bacteria and volatile compounds associated with ground beef spoilage, 1147
bisulfite alternatives in processing abrasion-peeled russet burbank potatoes, 257
breadfruit chips: preparation, stability and acceptability, 1608
calcium supplementation and processing effects on orange juice quality, 1369
changes in umami taste of inosine 5'-monophosphate solution after heating, 1429
chemical and microbiological analysis of vacuum-packed, pasteurized flaked imitation crabmeat, 164
color and oxidative stability of nitrite-free cured meat after irradiation, 1450
comparison of temporal perception of fruitiness in model systems sweetened with aspartame, an aspartame + acesulfame K blend, or sucrose, 823
control of processed carrot surface discoloration caused by abrasion peeling, 416
DDG with solubles: particle size effects on volume and acceptability of baked potatoes, 1323
dry and wet aging effects on palatability attributes of beef from three quality grades, 601
effect of added lactobacilli on composition and texture of cheddar cheese during maturation, 696
effect of exposure to oxygen and carbon dioxide on quality attributes of strawberries, 50
effect of extrusion conditions of corn meal extrudates on, 84
effect of fermentation of yams on characteristics of processed flour, 272
effect of heat processing on quality of oysters, 1292
effect of oleoresin rosemary, TBHQ and STPP on development of oxidative rancidity in chicken nuggets, 616
effect of packaging on pork in frozen storage, 627
factors affecting quality of fish oil mayonnaise, 1298
fat content effects on yield, quality and microbiological characteristics of chicken patties, 1527
flavor and oxidative stability of ground beef affected by source and storage, 899
hot-fat trimming and electrical stimulation effects on beef quality, 1484
influence of feeding regimen on beef, 1102
influence of polyphosphate soak and cooking on yield and quality of crab, 657
inhibition of oxidative rancidity in ground pork by carnosine, 1179
inhibition of warmed-over flavor development by cations, 1055
isolation of low-MW taste peptides from cheese, 943
juice extraction process and apple cultivar influence on juice properties, 1614
modification of fruit flavors by aspartame and sucrose, 1668
multiple standards to define characteristics for descriptive analysis: aspects of concept formation, 838
objective/subjective assessment of Australian sausage, 636 of beef steaks made with binders, 1457
of beef treated with Na lactate, 1141
of cookies based on wheat-rice-soybean flours baked in microwave oven, 1699
of partially defatted chopped beef in fermented beef snack sausage, 348
of salad dressing containing fermented peanut milk, 1664
of sodium tripolyphosphate in cooked ground turkey patties, 206
of sweet potatoes, 710
of wild rice/ground beef mixtures, 1154
osmotic concentration of green beans prior to freezing, 1008
oxidative stability of beef steaks processed with oleoresin rosemary, TBHQ and STPP, 597
pectin concentration, molecular weight and degree of esterification influence on strawberry jam, 1621
perceived taste intensity and duration of nutritive and non-nutritive sweeteners in water using T-I evaluations, 535
phenolic acid contribution to taste of corn germ protein flour products, 1308
precooking method affects warmed-over flavor of broiler breast patties, 881
predictors of beef tenderness, 1130
protein and fiber supplementation effects on extruded cornmeal snack quality, 760
quality enhancement of chum salmon in retort pouches, 1282
rancid flavor of milk: relationship of acid degree value, free fatty acids and, 394
replacement of fat with plant oil in lean ground beef patties, 861
reverse osmosis and flavor retention in apple juice concentration, 484
RSM in development of rice flour yeast breads, 751
sodium lactate: effect on beef, 621; effect on pork sausage, 1176
sorption of flavor compounds by low density polyethylene film, 1421
soy protein and oil effects on chemical, physical and microbial stability of ground beef, 906
stability of aspartame in fruit preparations used in yogurt, 689
starter culture and time/temperature of storage influences on quality of fermented mutton sausage, 916
storage of oranges pretreated with N, CO_2 and acetaldehyde in air, 469
STP and SAsMP as inhibitors of off-flavor development in turkey, 1529
supercritical CO_2 effects on quality of orange juice, 1030
tenderizing, aging and thawing effects on beef, 1125
textural quality of meat patties: correlation of instrumental and sensory attributes, 1465
volatiles: alkylphenols and thiophenol in species-related characterizing flavors of red meats, 1197; branched-chain fatty acids and phenolic compounds in aged Italian cheese flavors, 1241; compounds in strawberry jam: influence of cooking on volatiles, 1393

shear
analysis of during co-rotating twin-screw extrusion, 518
force: storage and bacterial contamination effects on beef, 903
texture of cherries using compression and stone removal forces, 260

sheep
volatile alkylphenols and thiophenol in, 1197

shellfish
thermal degradation of paralytic poison, 1572

shrimp
Pandalus jordani:isolation and characterization of antioxidant from, 143
Penaeus monodon: purification and characterization of proteases from digestive tract of, 322

skin
anthocyanin pigments in lychee fruit, 466
microbial effects of ultrasonication of broiler drumstick, 247

slurry
rheology of sol-gel thermal transition in cowpea flour and starch, 1744

smoking
HMNTCA in meats and bacon and conversion to 2-(hydroxymethyl)-N-nitrosothiazolidine during high-heat cooking, 913

snack foods
protein and fiber supplementation effects on extruded cornmeal quality, 760

soak
influence of polyphosphate on yield and quality of crab, 657

sodium
ascorbate monophosphate (SAsMP): as inhibitor of off-flavor development in turkey, 1529
caseinate: from skim milk powder by extrusion processing: physicochemical and functional properties, 1552
chloride: concentration in cheese for different volume ratios of brine and solid during salting, 1548; effect on prooxidant activity of copper (II) in peroxidation of phospholipid liposomes, 571; effects on heat resistance of bacterial spores, 821; influence on retrogradation of rice starches, 564; influence on thermal properties of beef muscle, 180

dodecyl sulfate (SDS): improves properties of soy protein concentrates, 113
lactate: assessment of addition to fresh pork sausage, 220; effect on microbial and chemical composition of cooked beef during storage, 341; effect on shelf-life, sensory, and physical characteristics of pork sausage, 1176; sensory comparisons of beef treated with, 1141
microwave digestion of food for analysis by atomic absorption spectrometry, 1412
tripolyphosphate (STP): as inhibitor of off-flavor development in turkey, 1529; sensory detection and population thresholds in cooked ground turkey, 206

softening
pH effect on calcium inhibition of cucumber, 730

solubility
effect of Zn concentration, Ca source, percent milkfat and homogenization on Ca, Fe and Zn in wheat cereal systems under simulated GI pH, 146
high temperature extrusion effects on protein distribution in navy and pinto beans, 1013
of casein and caseinates, 556
of soy and corn germ proteins in model systems, 455
relationship of whey protein concentrates to thermal properties determined by DSC, 1448

solvent
fractionation of water-soluble and insoluble components from egg yolk with minimum use of organic, 1537

somatotropin, porcine (pST)
processing characteristics of pork as influenced by administration to growing finishing swine, 859

sorbate
determination in raw beef, 863
sorption aroma evaluation of aseptic packaging, 1051
equilibrium isotherm equations to represent on starch, 1106
hysteresis in kudzu starch and sweet potato starch, 125
of flavor compounds by low density polyethylene film, 1421
of gliadin, 510
of volatile compounds in solution by ethylene-vinyl alcohol copolymer films, 500

soybean
acid production in -based yogurt by adding cheese whey proteins and mineral salts, 999
calcium sulfate concentration influence on yield and quality of tofu, 1604
effect of anions on deamidation of protein, 452
evaluation of SDS-PAGE for estimating protein digestibility, 1082
extrusion cooking in presence of amylase, 99
extrusion texturization of acid and alkali proteins, 1002
impact of protein isolates on rancidity development in cooked, refrigerated beef system, 188
inhibition of gas production in tofu, 1600
lipoxygenase as blanching index for frozen, 448
membrane reactor for enzymic deamidation of food proteins, 1725
protein effects on chemical, physical and microbial stability of ground beef, 906
replacement of fat with oil in lean ground beef patties, 861
retention and solubility of proteins in model systems, 455
SDS and sulfite improve properties of protein concentrates, 113
sensory and nutritional properties based on flour baked in microwave, 1699
temperature effect on binding of volatile flavor compounds to protein in model systems, 802
tepary bean flour, albumin and globulin fractions compared with protein isolate, 1316
tocopherol effects on chlorophyll photosensitized oxidation of oil, 807
yield and quality of tofu affected by: glucono-delta-lactone coagulant, 109

soymilk
yield and quality of tofu affected by: glucono-delta-lactone coagulant, 109

spawning
thermal denaturation in fish muscle proteins during gelling: effect of condition, 281

spectrometry
filter, fourier transform infrared, and areometry for following alcoholic fermentation in wines, 1635
atomic absorption: microwave digestion of food for Na analysis by, 1412

spectroscopy
electron spin resonance (ESR): for monitoring radiation-processed meats containing bone, 1104
near-infrared: determination of physical and chemical characteristics in beef, 1493

spinach
calcium in, 864
chlorophyll stability during aseptic processing and storage, 1059

spleen
properties of heat-induced gels from beef protein fraction, 1165

spoilage
aciduric, pH-elevating Bacillus in tomatoes, 1611
bacteria and volatiles associated with ground beef, 1147
estimation of bacterial quality of cod fillets with disc flotation method, 958
microbiology for monitoring dairy products with time-temperature integrators, 1209
profiles to identify irradiated fish, 332

spreads
pork use in fermented meat, 1185

squid
characterization using freshness indicators, 161
thermal conductivity by line source thermal conductivity probe, 582
water activity and temperature effects on browning of amino acids in, 665

stability
alginate and carrageenan immobilization effects on Schiz. pombe, 1095
antioxidants to preserve rockfish color, 1564
ascorbyl palmitate efficacy in enhancing accelerated storage of canola oil, 1651
chemical, physical and sensory properties of sweet potatoes, 710
effect of propylene glycol alginate and xanthan gum on O/W emulsions, 513
effects of pH and calcium on thermal behavior of whey proteins, 1119
flavor and oxidation of ground beef affected by source and storage, 899
improvement of color and lipid in beef with dietary vitamin E and C dip treatment, 1489
microwave effects on tocopherols in oils, 1042
mitochondrial activity and beef muscle color, 1476
of aspartame in fruit preparations used in yogurt, 689
of beef processed with oleoresin rosemary, TBHQ and STPP, 597
of breadfruit chips, 1608 of candelilla wax emulsion, 1382
of chlorophyll during aseptic processing and storage, 1059
of color in beef steaks during frozen storage: effects of binders, 1461
of color in trout fillets during frozen storage, 969
of milk emulsion protein and corn germ protein flour, 1216
of nitrite-free cured meat after irradiation, 1450
of pork: effect of light and salt, 1182
of self-rising corn meals improved by enzyme inactivation, 494
of sunflower hull anthocyanin pigment, 553
pigment improvement in beef by ascorbic acid application, 857
processing ingredients affecting oxidative and texture of beef roasts, 1480
salt effect on whey protein isolate foams, 588
soy protein and oil effects on ground beef, 906
vitamins E and C improve pigment and lipid in ground beef, 194

stabilization
of orange juice by proteic inhibitor of pectin methylesterase, 1632
starch adsorption of methyl orange on, 90
analysis and computer simulation of water interactions during phase transition, 121
equilibrium isotherm equations to represent moisture sorption on, 1106
extrudates from navy and pinto beans and corn meal blended with legume high protein fractions, 431
feed moisture effects on functional properties, trypsin inhibitor and hemagglutinating activities of bean fractions, 443
flow behavior and gelatinization of cowpea, 1311
gelatinization in bread baking, 1702
influence of granule-associated protein on cooked rice stickiness, 1327
moisture sorption hysteresis in kudzu and sweet potato, 125
retrogradation of rice studied by DSC and influence of sugar, NaCl and lipids, 564
rheology of sol-gel thermal transition in cowpea flour and slurry, 1744
thermal conductivity of gelatinized, 773

steam
effect on convection heating product processed in steritort, 27
internal pressure profile in semi-rigid packages during thermal processing in, 831

sterility
effect of ionizing radiation on dehydrated blood plasma, 168

sterilization
aggregation and dissociation of milk protein complexes in heated reconstituted concentrated skim milk, 238
of conduction-heated foods in plastic cylindrical cans using convective boundary condition, 827
process parameter effects on particle residence time in vertical scraped surface heat exchanger, 869
residence time distribution of fluid and particles in turbulent flow, 255

steritort
effect of steam/air mixtures on convection heating product processed in, 27

stickiness
influence of starch granule-associated protein on cooked rice, 1327

storage
accelerated kinetic study of aspartame degradation in neutral pH range, 1671
adenine nucleotide degradation in chill-stored fresh fish, 1267
ascorbic acid retention in orange juice under simulated consumer home conditions, 867

ascorbyl palmitate efficacy in enhancing accelerated stability of canola oil, 1651
assessment of Na lactate addition to fresh pork sausage, 220
breadfruit chips: preparation, stability and acceptability, 1608
calcium and time postmortem effects on functional and textural characteristics of pork, 632
changes in alcoholic orange juice beverage, 475
changes in components in development of hard-to-cook bean defect, 436
changes in gelling behavior and B-lactoglobulin during, 782
changes in titin and nebulin in bovine muscle revealed by gel electrophoresis, Western blotting and immunofluorescence microscopy, 607
characterization of increase in paleness of milk-fed veal during refrigerated, 1455
characterization of irradiated peanut kernels under ambient and frozen conditions, 1375
characterization of squid using freshness indicators, 161
chemical, physical and sensory stabilities of sweet potatoes, 710
chitosan coating effect on storability and quality of strawberries, 1618
chlorophyll stability during, 1059
C botulinum growth and toxigenesis in shelf-stable noodles, 264
C sporogenes and L monocytogenes: survival and inhibition in microwave-ready beef roasts containing antimicrobials, 198
color stability in beef steaks during freezing: effects of binders, 1461
color stability of trout fillets during frozen, 969
control of minimally processed carrot surface discoloration caused by abrasion peeling, 416
cooking quality of brown rice influenced by, 96
CPIC effect on nitrogenous constituents of potatoes, 532
effect of oleoresin rosemary, TBHQ and STPP on development of oxidative rancidity in chicken nuggets, 616
effect of packaging on color and physical characteristics of ground pork in frozen, 363
effect of packaging on physical/sensory characteristics of frozen pork, 627
effect of Na lactate on microbial and chemical composition of cooked beef during, 341
effect on flavor of garlic bulbs, 44
effect on microbiological quality of dried herbs, 873
effect on myofibrillar proteins and shear force of beef, 903
effect on quality of freeze-dried strawberries, 1388
effect on quality retention of salad-cut lettuce, 60
encapsulation of pre-formed cooked cured-meat pigment, 1500
enzyme inactivation improves stability of self-rising corn meals, 494
fate of L monocytogenes during, 1068
flavor and oxidative stability of ground beef affected by, 899
freezing effects on quality, bacteriology and retail-case life of pork, 891
hot-fat trimming and electrical stimulation effects on beef quality, 1484
impact of soy protein isolates on rancidity development in cooked, refrigerated beef system, 188
influence of polyphosphate soak and cooking on yield and quality of crab, 657
inhibition of oxidative rancidity in ground pork by carnosine, 1179
inhibition of warmed-over flavor development by cations, 1055
microbial changes in lettuce under controlled atmospheres, 1586
modified Gerber test for free oil in mozzarella cheese, 1115
monitoring chemical and microbial changes of cottage cheese using a full-history time-temperature indicator, 402
of beef produced with algin/calcium/adipic acid gel, 604
of oranges pretreated with N, CO_2 and acetaldehyde in air, 469
oxidative stability of pork patties: effect of light and added salt, 1182
oxidative stability of restructured beef steaks processed with oleoresin rosemary, TBHQ and STPP, 597
postmortem changes in ATP, creatine phosphate and lactate in sardine muscle, 151
potential of tomatoes harvested at breaker stage using modified atmosphere packaging, 55
preblending hot- and cold-boned pork at different particle sizes, 1511
preprocessing ice effects on functional properties of fish mince protein, 965
quality of processed lettuce, 459
relationship of loss of membrane functionality and hard-to-cook defect in aged beans, 590
sodium lactate effects on pork sausage, 1176
stability of aspartame in fruit preparations used in yogurt, 689
starter culture and time/temperature of influences on quality of fermented mutton sausage, 916
vitamins E and C improve pigment and lipid stability in ground beef, 194

STPP (sodium tripolyphosphate)
effect on development of oxidative rancidity in chicken nuggets, 616; oxidative stability of beef processed with, 597

strain
computerized model for analysis of food undergoing heat and mass transfer, 1438

strawberries
chitosan coating effect on storability and quality of, 1618
effect of exposure to oxygen and carbon dioxide on quality of, 50
fruit content influence on gel strength of jam, 1384
pectin concentration, molecular weight and degree of esterification: influence on volatiles and sensory characteristics of jam, 1621
processing, packaging, and storage effects on freeze-dried, 1388
volatiles in jam: influence of cooking on volatiles, 1393

strength
degree of elasticity determination in solid foods, 950
fruit content influence on gels of strawberry and peach jams, 1384

stress
computerized model for analysis of food undergoing heat and mass transfer, 1438

sublimation
monitoring freeze-drying by NMR: determination of endpoint, 1707

succinylation
sunflower proteins use in bread baking, 992

sucrose
comparison of temporal perception of fruitiness in model systems sweetened with aspartame, aspartame + acesulfame K, or, 823
heat resistance of S typhimurium and L monocytogenes in solutions, 1741
modification of fruit flavors by, 1668
particle size effects on diffuse reflectance of caramel admixture, 1117
phase transitions of amorphous and frozen solutions, 266

sugar
color development in model system during frying: role of, 1711
composition of persimmons during maturation, 989
determination in cheddar cheese by HPLC, 276
germination response of B subtilis to caramelized, 1399
in fruit using water peak suppression in high resolution MR, 1091
influence on retrogradation of rice starches, 564
of sweet potatoes, 714

sulfhydryl
in selected vegetables and fruits, 427
sulfite improves properties of soy protein concentrates, 113
in cellulosics by ion exclusion chromatography with electrochemical detection, 1087

sulfur
dioxide: reduction of heat resistance of N fisheri by, 876
influence of drying methods on volatile constituents of caucas, 72

sunflower
heat stability of anthocyanin pigment, 553
native and succinylated proteins use in bread baking, 992

supplementation
of calcium on orange juice quality, 1369
protein and fiber effects on extruded cornmeal snack quality, 760

surimi
determination of optimal level of lactitol for, 285
heat resistance of C botulinum in menhaden, 1562
microbiological evaluation of Alaska shore-based production, 291
microorganisms isolated from processing operations, 299
thermal denaturation in fish muscle proteins during gelling: effect of spawning condition, 281
thermal properties of analyzed by DSC, 302
water binding and ingredient dispersion pattern effects on gel texture, 1263

sweeteners
comparison of temporal perception of fruitiness in model systems sweetened with aspartame, and aspartame + acesulfame K blend, or sucrose, 823
modification of fruit flavors by aspartame and sucrose, 1668
perceived taste intensity and duration of nutritive and non-nutritive in water using T-I evaluations, 535

synthesis
of cured-meat pigment, 1205

T

taste
isolation of low-MW peptides from cheese, 943
perceived intensity of nutritive and non-nutritive sweeteners in water using T-I evaluations, 535
phenolic acid contribution of corn germ protein flour products, 1308
sensory changes in umami of inosine 5'-monophosphate solution after heating, 1429
viscosity reduction and reformation of structure in orange concentrate as affected by homogenization within evaporators, 1360

TBHQ (tertiary butylhydroquinone)
effect on development of oxidative rancidity in chicken nuggets, 616; oxidative stability of beef processed with, 597

temperature
affecting separation of low-fat flesh from fatty fish by cryoshattering, 1567
amino acid composition and antinutritional factors of faba beans: effects of cooking, 1347
effect of drying on volatiles in peanuts, 579
effect on binding of volatile flavor compounds to soy protein in model systems, 802
effect on growth of Neosartorya fischeri measured by impedimetric method, 1735
effects on browning of amino acids in squid and model system, 665
extrusion effects on protein solubility and distribution in navy and pinto beans, 1013

feed-back control system for microwave ovens using shielded thermocouple, 550
grinding time and pressure developed in beef and pork: effect of, 1171
inactivation of asparagus lipoxygenase and peroxidase, 47
kinetic parameter evaluation with linearly increasing profiles: integral methods, 1433
monitoring chemical and microbial changes in cottage cheese using indicators, 402
of growth and action of lysozyme on L monocytogenes, 1101
of meat as influenced by home freezer failure, 1508
of storage influences on quality of fermented mutton sausage, 916
pH effect on thermal transition of collagen, 1203
plasticizing effect of water on thermal behavior and crystallization of amorphous food models, 38
setting of antarctic fish muscle proteins, 251
short thermal treatment effect on carp myofibril and SR: mechanisms in rigor mortis acceleration by Arai treatment, 653

tenderization
acceleration by $CaCl_2$ antioxidant infusion into lamb carcasses, 359

tenderizing
effect on sensory, chemical and physical properties of beef, 1125

tenderness
predictors of in beef, 1130

texture
calcium and time postmortem effects on pork, 632
effect of added lactobacilli on cheddar cheese during maturation, 696
effect of washing on frozen fish mince, 294
extrusion of acid and alkali soy proteins, 1002
instrument for nondestructive measurement of raw cod fillets, 962
low-fat, high added-water bologna formulated with modifying ingredients, 643
of beef steaks made with binders, 1457
of cassava flour extrudate, 1319
of cherries using shear/compression and stone removal forces, 260
of raw and canned jicama and chinese water chestnut, 977
preblending hot- and cold-boned pork at different particle sizes, 1511
processing ingredients affecting stability of beef roasts, 1480
quality of meat patties: correlation of instrumental and sensory attributes, 1465
water binding and ingredient dispersion pattern effects on surimi gel, 1263

thawing
effect on sensory, chemical and physical properties of beef, 1125

thermal conductivity (TC)
of potato between 50 and 100°C , 586
of squid meat by line source probe, 582

thermal transition
of myosin from black marlin muscle, 954
pH effect on temperature of collagen, 1203
rheology of sol-gel in cowpea flour and starch slurry, 1744

thermocouple
feed-back temperature control system for microwave ovens using, 550

thermodynamics
conductivity of gelatinized starches, 773
during co-rotating twin-screw extrusion, 518
influence of sodium, potassium and magnesium chloride on beef muscle, 180
of surimi analyzed by DSC, 302
phase transitions of amorphous sucrose and frozen sucrose solutions, 266
thermal transitions of myosin from black marlin muscle, 954

thermostability
of horseradish peroxidase, 574

thiamin
retention in cowpeas affected by kanwa treatment, 592

thiobarbituric acid (TBA)
effect of ferrous iron, salt, cooking and Coffi on numbers in ground beef, 172

thiophenol
in species-related characterizing flavors of red meats, 1197

time
postmortem effects on functional and textural characteristics of pork, 632

time-intensity (T-I) evaluation
perceived taste intensity and duration of nutritive and non-nutritive sweeteners in water using, 535

time/temperature integrator (TTI)
microbiology for monitoring spoilage of dairy products with, 1209

tissue depth
effects on heat inactivation of papaya ethylene-forming enzyme, 996

titin
changes in bovine muscle revealed by gel electrophoresis, Western blotting and immunofluorescence microscopy, 607

tocopherol
effects on chlorophyll photosensitized oxidation of soybean oil, 807
extraction and quantification of in catfish, 1113
microwave heating effects on stabilities in oils, 1042

tofu
affected by soybean and soymilk characteristics: gluconodelta-lactone coagulant, 109
calcium sulfate concentration influence on yield and quality of, 1604
inhibition of gas production in, 1600

tomatoes
aciduric, pH-elevating Bacillus causing spoilage in, 1611
inactivation and regeneration of peroxidase activity in, 68
storage potential of harvested at breaker stage using modified atmosphere packaging, 55
verification of USDA home-canning recommendations for processing at high altitudes, 736

toxicology
blood fraction effects on antibotulinal efficacy of nitrite in beef sausage, 1158
thermal degradation of paralytic shellfish poison, 1572

toxigenesis
behavior of C botulinum spores in cooked turkey and modeling lag phase and probability of, 373
of C botulinum in shelf-stable noodles, 264

trimethylamine
gas sensor for detecting fish freshness, 1275

trimethylamine oxide (TMAO)
method for analysis using ferrous sulfate and EDTA, 132

trimming
effects on beef quality, 1484

trout
color stability of fillets during frozen storage, 969

trypsin
feed moisture effects on inhibitor of bean starch fractions, 443

tumbling
influence on physical, chemical and quality characteristics of ham, 1514

turbidity
model for evaluating in cloudy beverages, 747
of beverages with citrus oil clouding agent, 1024

turkey
behavior of C botulinum spores in cooked and modeling lag phase and probability of toxigenesis, 373
sensory detection and population thresholds for STP in cooked ground, 206
STP and SAsMP as inhibitors of off-flavor development in, 1529

tyrosinase
identification in mushrooms by IEF, 93

U

ultrafiltration
antioxidant activity of permeate from acid whey, 1248
for recovery and reuse of peptidoglutaminase in protein deamidation, 1731
lactose crystallization from whey permeate in EtOH-water mixture, 935
α-lactose monohydrate from whey permeate in crystallization using EtOH-water mixtures, 777

ultrasonication
microbial effects on broiler drumstick skin, 247

ultrasound
effects of treatment on properties of chymosin, 926
quality of chymosin extracts obtained by, 406

umami
sensory changes in taste of inosine 5'-monophosphate solution after heating, 1429

urea
effect on rheology of B-lactoglobulin gels at alkaline pH, 1338

V

vacuum
- chemical and microbiological analysis of packed imitation crab, 164
- infusion of citrus pectinmethylesterase and calcium effects on firmness of peaches, 739
- microbial characteristics of packaged restructured beef, 1136

valence
- effects of meat and food components on nonheme iron during digesting, 352

variability
- of salt absorption by brine dipped fillets of cod, flounder and perch, 648

veal
- characterization of increase in paleness of milk-fed during refrigerated storage, 1455

vegetables
- ethylene absorbent to maintain quality of, 1589
- galacturonate in pectic substances from: comparison of HPLC with amperometric detection to colorimetry, 423
- inactivation and regeneration of peroxidase activity in extracts treated with antioxidants, 68
- lipoxygenase as blanching index for frozen soybeans, 448
- sulfhydryl and ascorbic acid relationships in, 427
- uptake and fate of ascorbic acid-2-phosphate in, 419

viability
- of yeast in wheat dough, 1690

Vibrio parahaemolyticus
- response to high hydrostatic pressure, 1404

viscosity
- effect of powdered cellulose, 1682
- of casein and caseinates, 556
- reduction in orange concentrate as affected by homogenization within taste evaporators, 1360
- rheological changes in oatmeal suspensions during heat treatment, 1685

vitamins
- B_6:isolation and structure of conjugate in rice bran, 268
- C: improvement of color and lipid stability in beef with dip treatment, 1489; improves pigment and lipid stability in ground beef, 194; pigment stability improvement in beef by application of, 857; retention in orange juice stored under simulated consumer home conditions, 867
- E: extraction and quantification of in catfish, 1113; improvement of color and lipid stability in beef with dip treatment, 1489; improves pigment and lipid stability in ground beef, 194; microwave heating effects on stabilities of tocopherols in oils, 1042; of weaning foods from germinated cereals and legumes, 270; tocopherol effects on chlorophyll photosensitized oxidation of soybean oil, 807
- flavins: method for determination in milk by HPLC, 678
- thiamin, riboflavin and niacin retention in cowpeas affected by kanwa treatment, 592

volatiles
- absorption of citrus flavor by low density polyethylene, 35
- alkylphenols and thiophenol in species-related characterizing flavors of red meats, 1197
- analysis of flavor components in steamed rangia clam by dynamic headspace sampling and simultaneous distillation and extraction, 327
- associated with ground beef spoilage, 1147
- branched-chain fatty acids and phenolic compounds in aged Italian cheese flavors, 1241
- evaluation of odorants in dill seed and herb by aroma extract dilution analysis, 63
- from mesocarp of persimmons, 262
- in scrambled eggs, 387
- in strawberry jam: influence of cooking on, 1393
- influence of drying methods on sulfur constituents of caucas, 72
- influence of maturity on aroma compounds from salmon, 1576
- of cultivars of sweet potatoes, 714
- peanut moisture/size, relation to freeze damage and effect of drying temperature on, 579
- pectin concentration, molecular weight and degree of esterification: influence on strawberry jam, 1621
- sorption in solution by ethylene-vinyl alcohol copolymer films, 500
- static headspace GC method for canned salmon, 1271
- temperature effect on binding of flavor compounds to soy protein in model systems, 802

volume
- DDGS: particle size effects on baked potatoes, 1323

W

washing
- effect on texture and microstructure of frozen fish mince, 294
- short thermal treatment effect on carp myofibril and SR: mechanisms in rigor mortis acceleration by Arai treatment, 653

water
- analysis and computer simulation of starch interactions during phase transition, 121
- associated with whey protein investigated by NMR, 1557
- bologna high in added-: formulated with texture-modifying ingredients, 643
- effect of propylene glycol alginate and xanthan gum on stability of emulsions, 513
- effect on glass transitions in carbohydrates, 1676
- effects of constituent concentration on rheology of corn emulsions, 796
- equilibrium content and state in dehydrated cabbage, 1597
- extraction of peanut proteins with by RSM, 1660
- fractionation of soluble and insoluble components from egg yolk with minimum use of organic solvents, 1537
- lactose crystallization from whey permeate in ethanol mixture, 935
- α-lactose monohydrate from ultrafiltered whey permeate in crystallization using ethanol mixtures, 777
- noninvasive measurement in food using MRI, 811
- perceived taste intensity and duration of nutritive and non-nutritive sweeteners using T-I evaluations, 535
- plasticizing effect on thermal behavior and crystallization of amorphous food models, 38
- retention capacity and viscosity effect of powdered cellulose, 1682
- retention of soy and corn germ proteins in model system, 455
- sorption of gliadin, 510

water activity
- effect on browning of amino acids in squid and model system, 665
- effect on sorbic acid and potassium sorbate permeability of edible methylcellulose-palmitic acid film, 497
- heat resistance of S typhimurium and L monocytogenes in sucrose solutions varying in, 1741

water binding
- effect on surimi gel texture, 1263

water chestnut (Eleocharis dulcis)
- texture of raw and canned, 977

water peak suppression
- sugar content measurement in fruit using MR, 1091

wax
- candelilla emulsion, preparation and stability, 1382

Western blotting
- changes in titin and nebulin in beef muscle revealed by, 607

wheat
- characteristics of flour dough using E cloacae with and without yeast, 106
- color of pasta influenced by type of, 488
- effect of Zn concentration, Ca source, percent milkfat and homogenization on Ca, Fe and Zn solubility in cereal systems under simulated GI pH, 146
- rheological and structural properties of wiener-type products substituted with gluten, 228
- sensory and nutritional properties based on flour baked in microwave, 1699
- viability and performance of yeast in dough, 1690
- water sorption of gliadin, 510

whey
- antioxidant activity of ultrafiltration permeate from acid, 1248
- changes in gelling behavior of protein isolate during storage, 782
- effect of pH and calcium on thermal behavior of proteins, 1119
- factors influencing protein gel rheology: dialysis and calcium chelation, 789
- improving acid production in soy-based yogurt by adding cheese proteins and mineral salts, 999
- lactose crystallization from permeate in EtOH-water mixture, 935
- α-lactose monohydrate from ultrafiltered permeate in crystallization using EtOH-water mixtures, 777
- microfiltration affinity purification of lactoferrin and IgG from cheese, 701
- relationship of solubility of protein concentrates to thermal properties determined by DSC, 1448
- salt effects on stability of protein isolate foams, 588
- water associated with protein investigated by NMR, 1557

whitefish
- adenine nucleotide degradation in chill-stored fresh fish, 1267

wiener
- rheological and structural properties of -type products substituted with wheat gluten, 228

wine
- chemiluminescent assay for glycerol in using flow-injection, 1097
- filter, fourier transform infrared, and areometry for following alcoholic fermentation in, 1635

X

xanthan
- effect on stability of O/W emulsions, 513

Y

yam (Discorea rotundata)
effect of fermentation on characteristics of processed flour, 272

yeast
characteristics of wheat flour dough using E cloacae with and without, 106
RSM in development of rice flour breads: sensory evaluation, 751
thermal inactivation kinetics of foodborne, 6
viability and performance in wheat dough, 1690

Yersinia enterocolitica
from red meat and milk, 1524

yogurt
acid production in soy-based by adding cheese whey proteins and mineral salts, 999
degradation of aspartame related to microbial growth, 21
production and evaluation of milk-sweet potato mixtures fermented with bacteria from, 685
proximate, nutritional and microbiological analyses of milk-sweet potato mixtures fermented with bacteria from, 682
stability of aspartame in fruit preparation used in, 689

Z

zinc
effect on Ca and Fe solubility in wheat cereal systems under simulated GI pH, 146
pork loin as source of and effect of added cysteine on bioavailability, 1505

This publication is available in microform.



UMI reproduces this publication in microform: microfiche and 16 or 35mm microfilm. For information about this publication or any of the more than 16,000 periodicals and 7,000 newspapers we offer, complete and mail this coupon to UMI, 300 North Zeeb Road, Ann Arbor, MI 48106 USA. Or call us toll-free for an immediate response: 800-521-0600. From Alaska and Michigan call collect 313-761-4700. From Canada call toll-free 800-343-5299.

U·M·I

A Bell & Howell Company
300 North Zeeb Road
Ann Arbor, MI 48106 USA
800-521-0600 toll-free
313-761-4700 collect from Alaska and Michigan
800-343-5299 toll-free from Canada

Please send me information about the titles I've listed below:

_____
_____
_____
_____

Name_____
Title_____
Company/Institution_____
Address_____
City/State/Zip_____
Phone (_____)_____